




Husqvarna®

FEEL THE RESULTS

A NEW RANGE OF DIAMOND TOOLS FOR SURFACES AND FLOORS

FROM THE COMPLETE PARTNER IN SURFACES AND FLOORS

A FULL RANGE – FROM THE COMPLETE PARTNER IN SURFACES AND FLOORS



BRING YOUR SKILLS TO THE SURFACE

Where others see a hard surface, we see something else: potential.

Everyday surface and floor materials – like concrete, stone and wood – are just waiting to be made into something extraordinary. With your skills and our diamond tools, it's possible to bring their inner harmony and beauty to light.

Let us help you transform any surface with ease. Simply choose your Husqvarna diamond tool – and feel the results.

WELCOME TO A SMOOTHER WORKDAY

FROM START TO BEAUTIFUL FINISH

When it comes to demanding jobs, we know that even small interruptions can take a major toll on your productivity. Shouldn't your workflow be as smooth and effortless as the finished result?

To streamline your day, we've brought together the best diamond tools from the world's three leading brands – Husqvarna, HTC and Blastrac – into one complete range.

And there's no question: with this new range you can expect an unparalleled surface preparation experience. Whether you're removing a previous treatment, grinding,

polishing or edging – now you can flow through every step of the job with ease.

It's all part of our commitment to be your complete partner in surfaces and floors. Count on us to deliver the machines, chemicals, floor solutions and diamond tools you need – along with the quality, performance and results you're looking for. Every time.



**WHEN IT COMES TO SURFACE
PREPARATION AND REFINEMENT,
DIAMOND TOOLS ARE WHAT MAKE
THE DIFFERENCE BETWEEN A
GOOD RESULT – AND A GREAT ONE.**

ONE ALL-STAR LINE-UP

EVERYTHING YOU NEED IN ONE PLACE

From one trusted source, you can now get all the removal, grinding, polishing and edging tools you need for every step of the job.



COATING AND ADHESIVE REMOVAL

Remove various types of coatings and obtain a clean surface with efficiency and precision.



CONCRETE GRINDING

Efficiently grind and prepare concrete floors of varying hardness levels. Achieve smooth and exposed surfaces with a consistent scratch pattern.



POLISHING

Resin tools for honing and polishing concrete surfaces. Achieve high DOI (Distinctness Of Image) and low Ra (surface roughness) values, effortlessly.

A CHANGE FOR THE BETTER

We're proud to present this complete diamond tool range. It's the result of two years of intensive market and product research – as well as 100 years of combined experience from the world's three leading brands. Here's why this range is the best choice for every job.

WIDEST OFFERING TO TACKLE ANY SURFACE

We are a global player with a heritage like no other – and the most complete offering to tackle any surface, from extremely abrasive floors to the hardest concrete, as well as special applications like natural stone and wood.

EASIER TO CHOOSE AND USE

Whatever the application, our new line-up offers an easy solution. It's easy to find what you need, thanks to a new colour system that helps you identify each tool's grit size, as well as a new naming logic that clearly indicates each tool's performance level, application and action.

The range is also easy to use, since all our metal tools and ELITE resin tools now feature the popular EZchange™ attachment system, which makes changing tools effortless.

ALWAYS THE RIGHT PERFORMANCE

You can be sure of getting the right performance for your needs at every step of the job. Choose from three performance levels: ELITE, VARI and TACTI, represented by the colours Gold, Silver and Bronze, respectively.

PLASTIC-FREE PACKAGING

Our ambition is to minimise our environmental impact and help reduce the use of plastic and waste at the construction site. All our diamond tools therefore come in appropriately sized packaging made from 100% recycled cardboard. For added convenience, the packaging is also easy to stock or hang.

WORLD-CLASS QUALITY AND SUPPORT

Delivering the highest quality is in our DNA. This is why we evaluate every product and ensure that it meets our strict requirements. We also offer a deep resource of industry expertise and know-how from qualified technicians and a responsive team.



EDGING

Reach corners and edges that are difficult to access. Eliminate uneven areas for a polished, professional appearance and a uniform finish.



SPECIAL APPLICATIONS

Our range also includes tools to effectively treat other surfaces, including natural stone, overlays and wooden floors.

THREE PERFORMANCE LEVELS

All diamond tools are now categorised and named by performance level. This ensures that you always get exactly what you need for every application.

ELITE

- Recommended for heavy users and demanding professionals
- Longest life, fastest results and optimal for demanding jobs

VARI

- Developed for versatile professionals who work in diverse conditions
- Standard range of applications
- Optimal for moderate professional use

TACTI

- Excellent performance-to-price ratio
- Optimal for “less complex” and less demanding jobs
- Optimal for occasional users

NEW DIAMOND TOOL NAMING SYSTEM

Across the entire range, you'll find the same logical naming structure, colour-coded grit sizes, and marking information – all to make your workday easier. Simply follow the system steps below to learn how to read the new structure.

① TACTI-POLISH T T W

1ST

PERFORMANCE LEVEL + APPLICATION

①

ELITE / VARI / TACTI

+

②

GRIND / POLISH / SHAVE

2ND

NAME WITH TWO LETTERS

④

T = TRANSITION

P = POLISH

B = BURNISHING

M = MAINTENANCE

E = ELITE

V = VARI

+

O = OVERLAY

③ T = TACTI

C = CORNER

S = SANDPAPER

F = FENIX OR FLEX

X = XPRESS

2ND LETTER INDICATES APPLICATION

3RD

TYPE OF ACTION

⑤

W = WET / D = DRY

EASY TO CHOOSE. EASY TO USE.

Get in the flow – and stay there. Our range features several improvements that make it easy to choose and use the right tool.



CLEARER BRANDING

A larger logo makes it easier than ever to identify Husqvarna products.

THREE PERFORMANCE LEVELS

Expect the right performance for each job. Choose from 3 clearly marked performance levels to find the perfect tool for your needs:

- ELITE series
- VARI series
- TACTI series

SIMPLER PRODUCT NAMES

One straightforward naming system has been applied across the entire range, clearly indicating each tool's performance level, application, and action.

PLASTIC-FREE PACKAGING

All diamond tools are now packaged in cardboard. This ensures that all tools are protected, while reducing the use of plastic and waste at the construction site.

CONSISTENT COLOUR CODING


The grit sizes for all metal and resin tools are now indicated by a single colour-coding system.

CONSISTENT TOOL MARKINGS

Consistent marking information on the tools gives you all the information you need at a glance.

QUALITY ASSURED AT EVERY STEP

All our diamonds are custom made to meet the specific needs of each application. They are then tested and graded at our own sophisticated R&D laboratories. Every step, from purchasing to production to analysis, is overseen and quality assured by our own in-house team of diamond experts.



EZCHANGE™ ATTACHMENT SYSTEM

Minimise interruptions: All metal tools (and ELITE resin tools) now feature the patented EZchange™ attachment system.



EZchange™ ATTACHMENT SYSTEM: TOP 5 REASONS

Here are the top five reasons why the EZchange™ attachment system is best for your business.

1. LONGER LIFE & HIGHER PERFORMANCE

The EZchange™ series gives you the optimum ratio of lifespan to performance – no compromises. In addition, all our tools are manufactured using only the most sustainable raw materials and are cobalt-free.

2. WIDER RANGE OF APPLICATIONS

The ELITE-GRIND EZ series has a tool for all types of concrete floors, from extremely abrasive to the hardest concrete.

3. EASIER TO ACHIEVE GREAT RESULTS

Because the tools' segments cover a wider surface area, scratch patterns are more consistent. This makes it easier for less experienced operators to achieve great results when refining or polishing.

4. BETTER HEAT MANAGEMENT

The EZchange™ tool series is compatible with heat-dispersing Airflow tool holders. Keeping the tools cool reduces the risk of damaging the surface and creating inconsistent scratch patterns. Standard EZchange™ tool holders are also manufactured to efficiently disperse heat.

5. SMOOTHER WORKFLOW

The surface hardness and grit size have been optimised for each tool's intended application. This means you can continue to use the same grit size throughout the entire process within the same tool series, making tool selection easier and more intuitive.

NEW TOOL RANGE LINE-UP





















METAL TOOLS

A metal tool for every grinding application, from removing the thickest floor coating to grinding the hardest concrete. All metal tools now feature the EZchange™ attachment system.

| CONCRETE GRINDING – METAL TOOLS | | | | | | | | |
|---------------------------------|-------------------------|------------------------|----------------|----------------|-----------------|----------------|----------------|-----------------|
| ELITE-SERIES | | | | | | | | |
| Application | REMOVING THICK COATINGS | REMOVING THIN COATINGS | XSOFT CONCRETE | SOFT CONCRETE | MEDIUM CONCRETE | HARD CONCRETE | XHARD CONCRETE | XXHARD CONCRETE |
| Level | ELITE-GRIND | ELITE-GRIND | ELITE-GRIND | ELITE-GRIND | ELITE-GRIND | ELITE-GRIND | ELITE-GRIND | ELITE-GRIND |
| Tool Name | EZ T-REX® SUPER/DOME | EZ T-REX® 0 | EZ XS | EZ S | EZ M | EZ H | EZ X | EZ SHARXX |
| GRIT PCD | | | | | | | | |
| GRIT #16 | | | | | | | | |
| GRIT #25 | | | | | | | | |
| GRIT #30 | | | | | | | | |
| GRIT #50 | | | | | | | | |
| GRIT #100 | | | | | | | | |
| Attachment | EZchange™ Wing | EZchange™ Wing | EZchange™ Wing | EZchange™ Wing | EZchange™ Wing | EZchange™ Wing | EZchange™ Wing | EZchange™ Wing |
| Dimension | | | | | | | | |

WET
 DRY

Contact your sales representative to find the right tool holder for your machine.

| CONCRETE GRINDING - METAL TOOLS | | | | SPECIAL APPLICATIONS | | |
|---|---|---|---|---|---|---|
| VARI-SERIES | | | | TACTI-SERIES | ELITE-SERIES | VARI-SERIES |
| REMOVING THICK COATINGS | SOFT CONCRETE | MEDIUM CONCRETE | HARD CONCRETE | MEDIUM CONCRETE | NATURAL STONE GRINDING | WOOD GRINDING |
| VARI-GRIND EZ | VARI-GRIND | VARI-GRIND | VARI-GRIND | TACTI-GRIND | ELITE-GRIND | VARI-GRIND |
| T-REX® CLASSIC | EZ S | EZ M | EZ H | EZ M | SGW | EZ SL |
|  | | | | | | |
| | | | | | | |
| |  |  |  |  |  |  |
| | | | | |  |  |
| |  |  |  |  |  |  |
| |  |  |  |  |  | |
| EZchange™ Wing | EZchange™ Wing | EZchange™ Wing | EZchange™ Wing | EZchange™ Wing | CROSS | EZchange™ Wing |
| | | | | | | 6"/9"/11" |

Contact your sales representative to find the right tool holder for your machine.

HUSQVARNA ELITE-GRIND EZ T-REX

The Elite-Grind EZ T-Rex is a series of PCD (polycrystalline diamond) tools for efficient and fast removal of a range of coatings. All sold as 3-pack except Elite-Grind Ring.



| PRODUCT NUMBER | NAME | COATING REMOVAL |
|-----------------------------------|---|-----------------|
| ELITE-GRIND EZ T-REX SUPER | | |
| 598 88 61-01 | ELITE-GRIND EZ T-Rex SUPER L | 1-3 mm |
| 598 88 62-01 | ELITE-GRIND EZ T-Rex SUPER L Protective segment | 1-3 mm |
| 598 88 63-01 | ELITE-GRIND EZ T-Rex SUPER R | 1-3 mm |
| 598 88 64-01 | ELITE-GRIND EZ T-Rex SUPER R Protective segment | 1-3 mm |
| ELITE-GRIND EZ T-REX DOME | | |
| 598 88 59-01 | EZ T-Rex™ Dome L Protective segment | >3 mm |
| 598 88 60-01 | EZ T-Rex™ Dome R Protective segment | >3 mm |
| ELITE-GRIND T-REX RING | | |
| 593 34 60-03 | ELITE-GRIND Ring T-Rex L 270 mm | 1-3 mm |
| 593 34 60-04 | ELITE-GRIND Ring T-Rex R 270 mm | 1-3 mm |

HUSQVARNA ELITE-GRIND EZ T-REX O

Elite-Grind EZ T-Rex O with crushed PCD (polycrystalline diamond) segments is an ideal choice for thin coating removal while leaving behind a moderately scratched surface. Sold as 3-pack.



| PRODUCT NUMBER | NAME | SEGMENT | SEGMENT HEIGHT, MM | COATING REMOVAL |
|----------------------------|------------------------|---------|--------------------|-----------------|
| ELITE-GRIND T-REX O | | | | |
| 598 88 54-02 | ELITE-GRIND EZ T-REX O | Double | 13 | 0-2 mm |

HUSQVARNA ELITE-GRIND EZ

The Elite-Grind EZ is a gold level series of tools with 6 different tools developed for concrete grinding. Sold as 3-pack.



| PRODUCT NUMBER | NAME | COLOUR | SINGLE/DOUBLE/TRIPLE | SEGMENT HEIGHT, MM | GRIT SIZE (MESH) | MOH'S SCRATCH TEST |
|--|-------------------------|--------|----------------------|--------------------|------------------|--------------------|
| ELITE-GRIND EZ XS - For extra soft concrete | | | | | | |
| 546 32 91-01 | ELITE-GRIND EZ XS25 | Gold | Double | 13 | 25 | From 1 to 2 |
| 546 32 91-03 | ELITE-GRIND EZ XS25 | Gold | Triple | 13 | 25 | From 1 to 2 |
| 546 32 91-02 | ELITE-GRIND EZ XS30 | Grey | Double | 13 | 30 | From 1 to 2 |
| 546 32 91-04 | ELITE-GRIND EZ XS30 | Grey | Triple | 13 | 30 | From 1 to 2 |
| ELITE-GRIND EZ S - For soft concrete | | | | | | |
| 598 88 56-02 | ELITE-GRIND EZ S16 | Orange | Double | 13 | 16 | From 2 to 3 |
| 598 88 20-02 | ELITE-GRIND EZ S25 | Gold | Double | 13 | 25 | From 2 to 3 |
| 598 88 21-02 | ELITE-GRIND EZ S30 | Grey | Double | 13 | 30 | From 2 to 3 |
| 598 88 22-02 | ELITE-GRIND EZ S50 | Brown | Double | 13 | 50 | From 2 to 3 |
| 598 88 23-02 | ELITE-GRIND EZ S100 | Black | Double | 13 | 100 | From 2 to 3 |
| ELITE-GRIND EZ M - For medium concrete | | | | | | |
| 598 88 57-02 | ELITE-GRIND EZ M16 | Orange | Double | 13 | 16 | From 3 to 5 |
| 598 88 24-01 | ELITE-GRIND EZ M25 | Gold | Single | 13 | 25 | From 3 to 5 |
| 598 88 24-02 | ELITE-GRIND EZ M25 | Gold | Double | 13 | 25 | From 3 to 5 |
| 598 88 25-01 | ELITE-GRIND EZ M30 | Grey | Single | 13 | 30 | From 3 to 5 |
| 598 88 25-02 | ELITE-GRIND EZ M30 | Grey | Double | 13 | 30 | From 3 to 5 |
| 598 88 26-01 | ELITE-GRIND EZ M50 | Brown | Single | 13 | 50 | From 3 to 5 |
| 598 88 26-02 | ELITE-GRIND EZ M50 | Brown | Double | 13 | 50 | From 3 to 5 |
| 598 88 27-01 | ELITE-GRIND EZ M100 | Black | Single | 13 | 100 | From 3 to 5 |
| 598 88 27-02 | ELITE-GRIND EZ M100 | Black | Double | 13 | 100 | From 3 to 5 |
| ELITE-GRIND EZ H - For hard concrete | | | | | | |
| 598 88 58-02 | ELITE-GRIND EZ H16 | Orange | Double | 13 | 16 | From 5 to 7 |
| 598 88 32-01 | ELITE-GRIND EZ H25 | Gold | Single | 13 | 25 | From 5 to 7 |
| 598 88 32-02 | ELITE-GRIND EZ H25 | Gold | Double | 13 | 25 | From 5 to 7 |
| 598 88 33-01 | ELITE-GRIND EZ H30 | Grey | Single | 13 | 30 | From 5 to 7 |
| 598 88 33-02 | ELITE-GRIND EZ H30 | Grey | Double | 13 | 30 | From 5 to 7 |
| 598 88 34-01 | ELITE-GRIND EZ H50 | Brown | Single | 13 | 50 | From 5 to 7 |
| 598 88 34-02 | ELITE-GRIND EZ H50 | Brown | Double | 13 | 50 | From 5 to 7 |
| 598 88 35-01 | ELITE-GRIND EZ H100 | Black | Single | 13 | 100 | From 5 to 7 |
| 598 88 35-02 | ELITE-GRIND EZ H100 | Black | Double | 13 | 100 | From 5 to 7 |
| ELITE-GRIND EZ X - For extremely hard concrete | | | | | | |
| 598 88 40-01 | ELITE-GRIND EZ X25 | Gold | Single | 13 | 25 | From 7 to 9 |
| 598 88 40-02 | ELITE-GRIND EZ X25 | Gold | Double | 13 | 25 | From 7 to 9 |
| 598 88 41-01 | ELITE-GRIND EZ X30 | Grey | Single | 13 | 30 | From 7 to 9 |
| 598 88 41-02 | ELITE-GRIND EZ X30 | Grey | Double | 13 | 30 | From 7 to 9 |
| 598 88 42-01 | ELITE-GRIND EZ X50 | Brown | Single | 13 | 50 | From 7 to 9 |
| 598 88 42-02 | ELITE-GRIND EZ X50 | Brown | Double | 13 | 50 | From 7 to 9 |
| 598 88 43-01 | ELITE-GRIND EZ X100 | Black | Single | 13 | 100 | From 7 to 9 |
| 598 88 43-02 | ELITE-GRIND EZ X100 | Black | Double | 13 | 100 | From 7 to 9 |
| ELITE-GRIND EZ SHARXX - For extremely hard concrete | | | | | | |
| 598 88 48-01 | ELITE-GRIND EZ SHARXX25 | Gold | Single | 13 | 25 | 9 and above |
| 598 88 48-02 | ELITE-GRIND EZ SHARXX25 | Gold | Double | 13 | 25 | 9 and above |
| 598 88 49-01 | ELITE-GRIND EZ SHARXX30 | Grey | Single | 13 | 30 | 9 and above |
| 598 88 49-02 | ELITE-GRIND EZ SHARXX30 | Grey | Double | 13 | 30 | 9 and above |
| 598 88 50-01 | ELITE-GRIND EZ SHARXX50 | Brown | Single | 13 | 50 | 9 and above |
| 598 88 50-02 | ELITE-GRIND EZ SHARXX50 | Brown | Double | 13 | 50 | 9 and above |

HUSQVARNA VARI-GRIND EZ T-REX CLASSIC

Vari-Grind EZ T-Rex Classic features double PCD (polycrystalline diamond) claws with or without protective segment. This design enables efficient removal of soft contaminants leaving behind a moderately to highly scratched surface. Sold as 3-pack.



| PRODUCT NUMBER | NAME | COATING REMOVAL |
|----------------|--|-----------------|
| 598 88 65-01 | VARI-GRIND EZ T-REX Classic L | 1-3 mm |
| 598 88 66-01 | VAR- GRIND EZ T-REX Classic L Protective segment | 1-3 mm |
| 598 88 67-01 | VARI-GRIND EZ T-REX Classic R | 1-3 mm |
| 598 88 68-01 | VARI-GRIND EZ T-REX Classic R Protective segment | 1-3 mm |

HUSQVARNA VARI-GRIND EZ

The Vari-Grind EZ is a silver level series of tools with 3 different tools developed for concrete grinding. Sold as 3-pack.



| PRODUCT NUMBER | NAME | COLOUR | SINGLE/DOUBLE/TRIPLE | SEGMENT HEIGHT, MM | GRIT SIZE (MESH) | MOH'S SCRATCH TEST |
|--|--------------------|--------|----------------------|--------------------|------------------|--------------------|
| VARI-GRIND EZ S - For soft concrete | | | | | | |
| 546 33 23-01 | VARI-GRIND EZ S25 | Gold | Double | 11 | 25 | From 2 to 3 |
| 546 33 23-02 | VARI-GRIND EZ S50 | Brown | Double | 11 | 50 | From 2 to 3 |
| 546 33 23-03 | VARI-GRIND EZ S100 | Black | Double | 11 | 100 | From 2 to 3 |
| VARI-GRIND EZ M - For medium concrete | | | | | | |
| 546 33 24-11 | VARI-GRIND EZ M25 | Gold | Single | 11 | 25 | From 3 to 5 |
| 546 33 24-01 | VARI-GRIND EZ M25 | Gold | Double | 11 | 25 | From 3 to 5 |
| 546 33 24-12 | VARI-GRIND EZ M50 | Brown | Single | 11 | 50 | From 3 to 5 |
| 546 33 24-02 | VARI-GRIND EZ M50 | Brown | Double | 11 | 50 | From 3 to 5 |
| 546 33 24-13 | VARI-GRIND EZ M100 | Black | Single | 11 | 100 | From 3 to 5 |
| 546 33 24-03 | VARI-GRIND EZ M100 | Black | Double | 11 | 100 | From 3 to 5 |
| VARI-GRIND EZ H - For hard concrete | | | | | | |
| 546 33 31-11 | VARI-GRIND EZ H25 | Gold | Single | 11 | 25 | From 5 to 7 |
| 546 33 31-01 | VARI-GRIND EZ H25 | Gold | Double | 11 | 25 | From 5 to 7 |
| 546 33 31-12 | VARI-GRIND EZ H50 | Brown | Single | 11 | 50 | From 5 to 7 |
| 546 33 31-02 | VARI-GRIND EZ H50 | Brown | Double | 11 | 50 | From 5 to 7 |
| 546 33 31-13 | VARI-GRIND EZ H100 | Black | Single | 11 | 100 | From 5 to 7 |
| 546 33 31-03 | VARI-GRIND EZ H100 | Black | Double | 11 | 100 | From 5 to 7 |

HUSQVARNA TACTI-GRIND EZ M

Tacti-Grind EZ M is designed for grinding medium concrete floors. This is part of our Bronze level for general use. Sold as 3-pack.



| PRODUCT NUMBER | NAME | COLOUR | SINGLE/DOUBLE/TRIPLE | SEGMENT HEIGHT, MM | GRIT SIZE (MESH) | MOH'S SCRATCH TEST |
|----------------|---------------------|--------|----------------------|--------------------|------------------|--------------------|
| 547 22 94-01 | TACTI-GRIND EZ M25 | Gold | Double | 9 | 25 | From 3 to 5 |
| 547 22 94-02 | TACTI-GRIND EZ M50 | Brown | Double | 9 | 50 | From 3 to 5 |
| 547 22 94-03 | TACTI-GRIND EZ M100 | Black | Double | 9 | 100 | From 3 to 5 |

HUSQVARNA ELITE-GRIND SGW

Elite-Grind SGW is a metal bonded tool with a cross attachment system specifically designed to smoothly grind natural stone floors.



| PRODUCT NUMBER | NAME | DIAMETER, MM | GRIT SIZE | CONNECTOR | COOLANT |
|----------------|---------------------------|--------------|-----------|-----------|---------|
| 593 34 51-01 | ELITE-GRIND Cross SGW 25 | 160 | 25 | Cross | Wet |
| 593 34 52-01 | ELITE-GRIND Cross SGW 30 | 160 | 30 | Cross | Wet |
| 593 34 53-01 | ELITE-GRIND Cross SGW 50 | 160 | 50 | Cross | Wet |
| 593 34 54-01 | ELITE-GRIND Cross SGW 100 | 160 | 100 | Cross | Wet |
| 593 34 51-02 | ELITE-GRIND Cross SGW 25 | 220 | 25 | Cross | Wet |
| 593 34 52-02 | ELITE-GRIND Cross SGW 30 | 220 | 30 | Cross | Wet |
| 593 34 53-02 | ELITE-GRIND Cross SGW 50 | 220 | 50 | Cross | Wet |
| 593 34 54-02 | ELITE-GRIND Cross SGW 100 | 220 | 100 | Cross | Wet |
| 593 34 51-03 | ELITE-GRIND Cross SGW 25 | 270 | 25 | Cross | Wet |
| 593 34 52-03 | ELITE-GRIND Cross SGW 30 | 270 | 30 | Cross | Wet |
| 593 34 53-03 | ELITE-GRIND Cross SGW 50 | 270 | 50 | Cross | Wet |
| 593 34 54-03 | ELITE-GRIND Cross SGW 100 | 270 | 100 | Cross | Wet |

HUSQVARNA VARI-GRIND EZ SL

Vari-Grind EZ SL is equipped with triple diamond segment for grinding rough wooden decks. Sold as 3-pack.



| PRODUCT NUMBER | NAME | COLOUR | SEGMENT | GRIT SIZE (MESH) |
|----------------|---------------------|--------|---------|------------------|
| 598 88 70-01 | VARI-GRIND EZ SL 25 | Gold | Triple | 25 |
| 598 88 71-01 | VARI-GRIND EZ SL 30 | Grey | Triple | 30 |
| 598 88 72-01 | VARI-GRIND EZ SL 50 | Brown | Triple | 50 |

OTHER METAL TOOLS

GRINDING DISCS (10"/250mm)

HUSQVARNA ELITE-GRIND DISC T-REX

Elite-Grind Disc T-Rex is a PCD disc with 12 PCD's + 6 protective segments.



| PRODUCT NUMBER | DESCRIPTION | DIAMETER, MM | RECOMMENDED WITH |
|----------------|--------------------------------------|--------------|------------------|
| 533 13 72-01 | ELITE-GRIND DISC T-REX Prot 255 | 250 | BG 250/BGS 250 |
| 534 24 78-01 | ELITE-GRIND DISC T-REX Prot seg. 255 | 250 | BG 250/BGS 250 |

HUSQVARNA ELITE-GRIND PREMIUM PLUS

Elite-Grind Premium+ is designed to deliver remarkable removal rates for a range of concrete surfaces.



| PRODUCT NUMBER | DESCRIPTION | DIAMETER, MM | RECOMMENDED WITH | MOH'S SCRATCH TEST |
|----------------|-------------------------|--------------|------------------|--------------------|
| 534 60 23-01 | ELITE-GRIND PREMIUM + S | 250 | BG 250/BGS 250 | From 2 to 3 |
| 534 60 24-01 | ELITE-GRIND PREMIUM + M | 250 | BG 250/BGS 250 | From 4 to 5 |
| 534 60 26-01 | ELITE-GRIND PREMIUM + H | 250 | BG 250/BGS 250 | From 6 to 7 |
| 534 60 22-01 | ELITE-GRIND PREMIUM + X | 250 | BG 250/BGS 250 | 8 |

HUSQVARNA VARI-GRIND ARROW


Vari-Grind Arrow is an aggressive grinding disc designed for removal on concrete floors.



| PRODUCT NUMBER | DESCRIPTION | DIAMETER, MM | RECOMMENDED WITH | MOH'S SCRATCH TEST |
|----------------|--------------------|--------------|------------------|--------------------|
| 534 30 05-01 | VARI-GRIND ARROW S | 250 | BG 250/BGS 250 | From 2 to 3 |
| 534 30 06-01 | VARI-GRIND ARROW M | 250 | BG 250/BGS 250 | From 4 to 5 |
| 533 17 42-01 | VARI-GRIND ARROW H | 250 | BG 250/BGS 250 | From 6 to 7 |
| 533 17 09-01 | VARI-GRIND ARROW X | 250 | BG 250/BGS 250 | 8 |

HUSQVARNA VARI-GRIND STAR

Vari-Grind Star is a powerful grinding disc known for removal on concrete floors



| PRODUCT NUMBER | DESCRIPTION | DIAMETER, MM | RECOMMENDED WITH | MOH'S SCRATCH TEST |
|----------------|-------------------|--------------|------------------|--------------------|
| 534 24 80-01 | VARI-GRIND STAR S | 250 | BG 250/BGS 250 | From 2 to 3 |
| 534 24 82-01 | VARI-GRIND STAR M | 250 | BG 250/BGS 250 | From 4 to 5 |
| 534 24 83-01 | VARI-GRIND STAR H | 250 | BG 250/BGS 250 | From 6 to 7 |
| 534 24 79-01 | VARI-GRIND STAR X | 250 | BG 250/BGS 250 | 8 |

HUSQVARNA TACTI-GRIND EURO

Tacti-Grind Euro is a grinding disc specifically designed for efficient removal of coatings less than 1 mm thick, as well as grinding concrete floors



| PRODUCT NUMBER | DESCRIPTION | DIAMETER, MM | RECOMMENDED WITH | MOH'S SCRATCH TEST |
|----------------|--------------------|--------------|------------------|--------------------|
| 534 44 34-01 | TACTI-GRIND EURO S | 250 | BG 250/BGS 250 | From 2 to 3 |
| 534 44 35-01 | TACTI-GRIND EURO M | 250 | BG 250/BGS 250 | From 4 to 5 |
| 534 44 36-01 | TACTI-GRIND EURO H | 250 | BG 250/BGS 250 | From 6 to 7 |
| 534 44 33-01 | TACTI-GRIND EURO X | 250 | BG 250/BGS 250 | 8 |

BUSH HAMMER TOOLS

HUSQVARNA ELITE-HAMMER RAVAGER

The Elite-Hammer Ravager is designed with performance in mind. Whether it's for surface preparation, coating removal, or achieving the desired texture, our bush hammer tools are a reliable and efficient solution for enhancing concrete surfaces.



| PRODUCT NUMBER | NAME | NO. OF ROLLS | RECOMMENDED WITH |
|----------------|--------------------------------------|--------------|----------------------------|
| 531 28 99-18 | ELITE-HAMMER cross RAVAGER 180 | 3 | HTC 450 |
| 531 28 99-30 | ELITE-HAMMER cross RAVAGER 230 | 3 | HTC 5 series, HTC 6 series |
| 531 28 99-70 | ELITE-HAMMER cross RAVAGER 270-3 | 3 | HTC 8 series, HTC 9 series |
| 531 28 99-71 | ELITE-HAMMER cross RAVAGER 270-6 | 6 | HTC 8 series, HTC 9 series |
| 531 29 23-18 | ELITE-HAMMER head lock RAVAGER 180 | 3 | PG 450 |
| 531 29 24-23 | ELITE-HAMMER head lock RAVAGER 230 | 3 | PG 5 series, PG 6 series |
| 531 29 25-70 | ELITE-HAMMER head lock RAVAGER 270-3 | 3 | PG 6 series, PG 8 series |
| 531 29 25-71 | ELITE-HAMMER head lock RAVAGER 270-6 | 6 | PG 6 series, PG 8 series |

SHAVING DISCS

HUSQVARNA ELITE-SHAVE

Diamond blades with hexagonal borehole for shaving and grooving concrete surfaces.



| PRODUCT NUMBER | DESCRIPTION | DIAMETER, MM | THICKNESS, MM | MACHINE APPLICATION |
|----------------|---------------------------|--------------|---------------|---------------------|
| 534 51 07-01 | ELITE-SHAVE S 255 | 255 | - | BMC 335 BMC 335RC |
| 533 77 22-01 | ELITE-SHAVE M 255 | 255 | - | BMC 335 BMC 335RC |
| 534 51 09-01 | ELITE-SHAVE H 255 | 255 | - | BMC 335 BMC 335RC |
| 534 51 11-01 | ELITE-SHAVE M 265 | 265 | - | BMC 335 BMC 335RC |
| 534 51 13-01 | ELITE-SHAVE H 265 | 265 | - | BMC 335 BMC 335RC |
| 533 71 63-01 | ELITE-SHAVE M 400 | 400 | - | BMP 4000RC |
| 534 85 62-01 | Spacer (1 mm thickness) | - | 1 | BMC 335 BMC 335RC |
| 533 07 82-01 | Spacer (3 mm thickness) | - | 3 | BMC 335 BMC 335RC |
| 534 85 68-01 | Spacer (2.5 mm thickness) | - | 2.5 | BMP 4000RC |
| 534 85 67-01 | Spacer (3 mm thickness) | - | 3 | BMP 4000RC |
| 533 86 72-01 | Spacer (4 mm thickness) | - | 4 | BMP 4000RC |

NAKED DRUM

| PRODUCT NUMBER | DESCRIPTION | MACHINE APPLICATION |
|----------------|---------------------------|---------------------|
| 533 23 62-01 | Shaving drum 335 mm large | BMC 335 BMC 335RC |
| 533 19 66-01 | Shaving drum 380 mm large | BMP 4000RC |



COMPLETE DRUM

| PRODUCT NUMBER | DESCRIPTION | MACHINE APPLICATION |
|----------------|---|---------------------|
| 534 81 95-01 | Shaving drum complete with 80 ELITE-SHAVE S (blue blade) | BMC 335 BMC 335RC |
| 533 47 36-01 | Shaving drum complete with 80 ELITE-SHAVE M (green blade) | BMC 335 BMC 335RC |
| 534 81 96-01 | Shaving drum complete with 80 ELITE-SHAVE H (red blade) | BMC 335 BMC 335RC |

SCARIFYING TOOLS

WHEELS AND CUTTERS

| PRODUCT NUMBER | DESCRIPTION | DIAMETER, MM | THICKNESS, MM | MACHINE APPLICATION |
|----------------|---|--------------|---------------|---------------------|
| 543 04 02-14 | Star wheel (processed steel) 60 x 2 mm | 60 | 2 | CG 200 |
| 543 04 02-09 | Toothed wheel (processed steel) 62 x 5 mm | 62 | 5 | CG 200 |
| 543 04 02-16 | Carbide wheel 56 x 6.5 mm | 56 | 6.5 | CG 200 |
| 543 04 02-17 | Spacer (3 mm thickness) | - | 3 | CG 200 |
| 534 70 61-01 | Milling cutter 5 pt. Ø15 x Ø42 x 22 mm | 42 | 22 | BMP 215 INC PETROL |
| 534 42 04-01 | Cutter 5 pt. Ø16 x Ø44 x 6 mm | 44 | 6 | BMP 215 INC PETROL |
| 534 85 63-01 | Spacer (1.5 mm thickness) | - | 1.5 | BMP 215 INC PETROL |
| 534 85 71-01 | Spacer (2.5 mm thickness) | - | 2.5 | BMP 215 INC PETROL |
| 534 70 64-01 | Milling cutter 6 pt. Ø19 x Ø55 x 20 mm | 55 | 20 | BMP 265 INC PETROL |
| 533 87 31-01 | Cutter 8 pt. Ø20 x Ø56 x 6 mm | 56 | 6 | BMP 265 INC PETROL |
| 533 12 43-01 | Spacer (3 mm thickness) | - | 3 | BMP 265 INC PETROL |
| 533 12 41-01 | Spacer (1.5 mm thickness) | - | 1.5 | BMP 265 INC PETROL |
| 534 42 06-01 | Cutter 8 pt. Ø30 x Ø80 x 8 mm | 80 | 8 | BMP 335 |
| 534 70 65-01 | Milling cutter 6 pt. Ø30 x Ø80 x 20 mm | 80 | 20 | BMP 335 |
| 533 12 53-01 | Cutter 12 pt. Ø30 x Ø77 x 8 mm | 77 | 8 | BMP 335 |
| 534 85 65-01 | Spacer (4 mm thickness) | - | 4 | BMP 335 |
| 534 87 72-01 | Support bush | - | - | BMP 335 |
| 533 12 77-01 | Milling pick for concrete | - | - | BMP 4000RC |
| 533 33 47-01 | Milling pick for asphalt | - | - | BMP 4000RC |

DRUMS WITH SHAFTS

| PRODUCT NUMBER | DESCRIPTION | DIAMETER, MM | MACHINE APPLICATION |
|----------------|-------------------------------|--------------|---------------------|
| 543 04 02-10 | Drum 200 mm large | - | CG 200 |
| 543 04 02-11 | Spare shaft | - | CG 200 |
| 534 53 44-01 | Drum 215 mm large | - | BMP 215 INC PETROL |
| 534 53 77-01 | Spare shaft | 12 | BMP 215 INC PETROL |
| 533 12 46-01 | Drum 265 mm large | - | BMP 265 INC PETROL |
| 534 53 71-01 | Spare shaft | 16 | BMP 265 INC PETROL |
| 533 87 36-01 | Drum 335 mm large | - | BMP 335 |
| 534 53 79-01 | Spare shaft | 22 | BMP 335 |
| 534 82 01-01 | Drum 400 mm large - 60 picks | - | BMP 4000RC |
| 534 82 00-01 | Drum 400 mm large - 116 picks | - | BMP 4000RC |













































COMPLETE HEAD ASSEMBLY KITS

| PRODUCT NUMBER | DESCRIPTION | DIAMETER, MM | THICKNESS, MM | MACHINE APPLICATION |
|----------------|------------------------------------|--------------|---------------|---------------------|
| 543 04 02-21 | 160 star wheels and 164 spacers | 60 | 2 | CG 200 |
| 543 04 02-24 | 84 carbide wheels and 84 spacers | 58 | 7 | CG 200 |
| 535 63 31-01 | Drum complete with milling cutters | - | - | BMP 215 INC PETROL |
| 533 87 39-01 | Drum complete with cutters | - | - | BMP 215 INC PETROL |
| 533 51 90-01 | Drum complete with milling cutters | - | - | BMP 265 INC PETROL |
| 533 51 92-01 | Drum complete with cutters | - | - | BMP 265 INC PETROL |
| 534 43 15-01 | Drum complete with cutters | - | - | BMP 335 |
| 533 12 73-01 | Drum complete with milling cutters | - | - | BMP 335 |
| 534 44 45-01 | Drum complete with cutters | - | - | BMP 335 |

NEW TOOL RANGE LINE-UP

RESIN TOOLS

Use our polishing pads and pucks to remove scratches on floors, polish, and add gloss to concrete, overlay, terrazzo and natural stone. The new range offers significant product enhancements, including tools with extended lifespan and convenient EZchange™ attachments.

| CONCRETE HONING/POLISHING – RESIN TOOLS | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | ELITE-SERIES | | | | | VARI-SERIES | | |
| Application | TRANSITIONAL PUCKS | TRANSITIONAL PADS | POLISHING PUCKS | POLISHING PADS | BURNISHING/ MAINTENANCE | TRANSITIONAL PUCKS | TRANSITIONAL PADS | POLISHING PUCKS |
| Level | ELITE-POLISH | ELITE-POLISH | ELITE-POLISH | ELITE-POLISH | ELITE-POLISH | VARI-POLISH | VARI-POLISH | VARI-POLISH |
| Tool Name | ET D | EFT W | EP D | EF D EF W | EB D/W EM D/W | VT D VT W | VP D VP W | VF D |
| GRIT #30 |  * | |  * | | |  * | |  * |
| GRIT #50 |  * |  |  * | | |  * |  * |  * |
| GRIT #100 |  * |  |  * |  * | |  * |  * |  * |
| GRIT #200 | |  |  * |  * | |  * |  * |  * |
| GRIT #400 | | |  * |  * |  * |  * |  * |  * |
| GRIT #800 | | |  * |  * |  * | |  * |  * |
| GRIT #1500 | | |  * |  * |  * | |  * |  * |
| GRIT #3000 | | |  * |  * |  * | |  * |  * |
| Dimension | – | 7”/9”/11” | – | 7”/9”/11” | 5”/7”/9”/11”/16” /17”/21”/24”/27” | 3” | 3” | 7”/9”/11” |
| Attachment | EZchange™ Wing | EZchange™ Click | EZchange™ Wing | EZchange™ Click | EZchange™ Click/ VELCRO® | VELCRO® | VELCRO® | EZchange™ Click |

 WET  DRY

Contact your sales representative to find the right tool holder for your machine.


| CONCRETE HONING/ POLISHING – RESIN TOOLS | |
|---|--------------------|
| TACTI-SERIES | |
| TRANSITIONAL PUCKS | POLISHING PUCKS |
| TACTI-POLISH | TACTI-POLISH |
| TT W | TP D |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| 3" | 4" |
| VELCRO® | VELCRO® |

| SPECIAL APPLICATIONS | | |
|----------------------------------|--------------------------|-----------------|
| ELITE-SERIES | VARI-SERIES | |
| CEMENTITIOUS OVERLAY PUCKS | NATURAL STONE PADS | WOOD SANDING |
| ELITE-POLISH | ELITE-POLISH | VARI-POLISH |
| EO D | EX D | VS D |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 3" | 7"/9"/11" | 7"/9" |
| VELCRO® | EZchange™ Click | VELCRO® |

*available also with GR 80 and 120

HUSQVARNA ELITE-POLISH ET D

Elite-Polish ET D is the ideal tool for transitioning seamlessly from metal to resin tools. This innovative solution reduces scratches and kickstarts the polishing process, particularly on surfaces that are too rough to begin directly with polishing tools. To be used for dry polishing. Sold as 3-pack.



| PRODUCT NUMBER | NAME | COLOUR | GRIT SIZE |
|----------------|-----------------------|--------|-----------|
| 546 17 98-01 | ELITE-POLISH ET 30 D | Grey | 30 |
| 546 17 98-02 | ELITE-POLISH ET 50 D | Brown | 50 |
| 546 17 98-03 | ELITE-POLISH ET 100 D | Black | 100 |

HUSQVARNA ELITE-POLISH EFT W

Elite-Polish EFT W is the ideal solution for transitioning from metal to resin tools. Thanks to the flexible design these pads are well suited for multiple wet applications, particularly in scenarios where durability is a key consideration.



| PRODUCT NUMBER | NAME | DIMENSION, MM | GRIT SIZE |
|----------------|------------------------|---------------|-----------|
| 546 37 27-01 | ELITE-POLISH EFT 50 W | 180 | 50 |
| 546 37 27-02 | ELITE-POLISH EFT 100 W | 180 | 100 |
| 546 27 27-03 | ELITE-POLISH EFT 200 W | 180 | 200 |
| 546 27 27-04 | ELITE-POLISH EFT 50 W | 230 | 50 |
| 546 27 27-05 | ELITE-POLISH EFT 100 W | 230 | 100 |
| 546 27 27-06 | ELITE-POLISH EFT 200 W | 230 | 200 |
| 546 27 27-07 | ELITE-POLISH EFT 50 W | 270 | 50 |
| 546 27 27-08 | ELITE-POLISH EFT 100 W | 270 | 100 |
| 546 27 27-09 | ELITE-POLISH EFT 200 W | 270 | 200 |

HUSQVARNA ELITE-POLISH EP D

Elite-Polish EP D is an exceptional tool designed to meet the needs of demanding professionals looking for the highest gloss results. Sold as 3-pack.



| PRODUCT NUMBER | NAME | COLOUR | GRIT SIZE |
|----------------|------------------------|--------|-----------|
| 546 15 70-01 | ELITE-POLISH EP 30 D | Grey | 30 |
| 546 15 70-02 | ELITE-POLISH EP 50 D | Brown | 50 |
| 546 15 70-03 | ELITE-POLISH EP 100 D | Black | 100 |
| 546 15 70-04 | ELITE-POLISH EP 200 D | Blue | 200 |
| 546 15 70-05 | ELITE-POLISH EP 400 D | Red | 400 |
| 546 15 70-06 | ELITE-POLISH EP 800 D | White | 800 |
| 546 15 70-07 | ELITE POLISH EP 1500 D | Yellow | 1500 |
| 546 15 70-08 | ELITE-POLISH EP 3000 D | Green | 3000 |

HUSQVARNA ELITE-POLISH EF D


Elite-Polish EF D provides effortless and superior concrete polishing results in dry applications. This tools features a flexible backing that effortlessly follows the contours of any floor, including irregularities.



| PRODUCT NUMBER | NAME | DIMENSION, MM | GRIT SIZE |
|----------------|------------------------|---------------|-----------|
| 529 64 08-01 | ELITE-POLISH EF 100 D | 180 | 100 |
| 529 64 09-01 | ELITE-POLISH EF 200 D | 180 | 200 |
| 529 64 10-01 | ELITE-POLISH EF 400 D | 180 | 400 |
| 529 64 11-01 | ELITE-POLISH EF 800 D | 180 | 800 |
| 529 64 12-01 | ELITE-POLISH EF 1500 D | 180 | 1500 |
| 529 64 07-01 | ELITE-POLISH EF 3000 D | 180 | 3000 |
| 529 64 08-02 | ELITE-POLISH EF 100 D | 230 | 100 |
| 529 64 09-02 | ELITE-POLISH EF 200 D | 230 | 200 |
| 529 64 10-02 | ELITE-POLISH EF 400 D | 230 | 400 |
| 529 64 11-02 | ELITE-POLISH EF 800 D | 230 | 800 |
| 529 64 12-02 | ELITE-POLISH EF 1500 D | 230 | 1500 |
| 529 64 07-02 | ELITE-POLISH EF 3000 D | 230 | 3000 |
| 529 64 08-03 | ELITE-POLISH EF 100 D | 270 | 100 |
| 529 64 09-03 | ELITE-POLISH EF 200 D | 270 | 200 |
| 529 64 10-03 | ELITE-POLISH EF 400 D | 270 | 400 |
| 529 64 11-03 | ELITE-POLISH EF 800 D | 270 | 800 |
| 529 64 12-03 | ELITE-POLISH EF 1500 D | 270 | 1500 |
| 529 64 07-03 | ELITE-POLISH EF 3000 D | 270 | 3000 |

HUSQVARNA ELITE-POLISH EF W


Elite-Polish EF D provides effortless and superior concrete polishing results in wet applications. These tools features a flexible backing that effortlessly follows the contours of any floor, including irregularities.



| PRODUCT NUMBER | NAME | DIMENSION, MM | GRIT SIZE |
|----------------|------------------------|---------------|-----------|
| 546 37 27-10 | ELITE-POLISH EF 200 W | 180 | 200 |
| 546 37 27-11 | ELITE-POLISH EF 400 W | 180 | 400 |
| 546 37 27-12 | ELITE-POLISH EF 800 W | 180 | 800 |
| 546 37 27-13 | ELITE-POLISH EF 1500 W | 180 | 1500 |
| 546 37 27-14 | ELITE-POLISH EF 3000 W | 180 | 3000 |
| 546 37 27-15 | ELITE-POLISH EF 200 W | 230 | 200 |
| 546 37 27-16 | ELITE-POLISH EF 400 W | 230 | 400 |
| 546 37 27-17 | ELITE-POLISH EF 800 W | 230 | 800 |
| 546 37 27-18 | ELITE-POLISH EF 1500 W | 230 | 1500 |
| 546 37 27-19 | ELITE-POLISH EF 3000 W | 230 | 3000 |
| 546 37 27-20 | ELITE-POLISH EF 200 W | 270 | 200 |
| 546 37 27-21 | ELITE-POLISH EF 400 W | 270 | 400 |
| 546 37 27-22 | ELITE-POLISH EF 800 W | 270 | 800 |
| 546 37 27-23 | ELITE-POLISH EF 1500 W | 270 | 1500 |
| 546 37 27-24 | ELITE-POLISH EF 3000 W | 270 | 3000 |

HUSQVARNA ELITE-POLISH EB/EM D/W

Elite-Polish EB/EM D are diamond impregnated pads, ideal for enhancing glossiness and facilitating maintenance. This comprehensive range offers high performance solutions that integrate with scrubbing machines and high-speed burnishers. Thanks to their design, these pads feature a flexible backing, allowing them to effortlessly adapt to any floor irregularities.



| PRODUCT NUMBER | NAME | DIMENSION, MM | GRIT SIZE (MESH) |
|----------------|--------------------------|---------------|------------------|
| 546 18 39-01 | ELITE-POLISH EB 400 D/W | 125 | 400 |
| 546 18 39-02 | ELITE-POLISH EB 800 D/W | 125 | 800 |
| 546 18 39-03 | ELITE-POLISH EB 1500 D/W | 125 | 1500 |
| 546 18 39-04 | ELITE-POLISH EB 3000 D/W | 125 | 3000 |
| 546 18 39-05 | ELITE-POLISH EB 400 D/W | 180 | 400 |
| 546 18 39-06 | ELITE-POLISH EB 800 D/W | 180 | 800 |
| 546 18 39-07 | ELITE-POLISH EB 1500 D/W | 180 | 1500 |
| 546 18 39-08 | ELITE-POLISH EB 3000 D/W | 180 | 3000 |
| 546 18 39-09 | ELITE-POLISH EB 400 D/W | 230 | 400 |
| 546 18 39-10 | ELITE-POLISH EB 800 D/W | 230 | 800 |
| 546 18 39-11 | ELITE-POLISH EB 1500 D/W | 230 | 1500 |
| 546 18 39-12 | ELITE-POLISH EB 3000 D/W | 230 | 3000 |
| 546 18 39-13 | ELITE-POLISH EB 400 D/W | 270 | 400 |
| 546 18 39-14 | ELITE-POLISH EB 800 D/W | 270 | 800 |
| 546 18 39-15 | ELITE-POLISH EB 1500 D/W | 270 | 1500 |
| 546 18 39-16 | ELITE-POLISH EB 3000 D/W | 270 | 3000 |
| 546 18 39-17 | ELITE-POLISH EM 400 D/W | 400 | 400 |
| 546 18 39-18 | ELITE-POLISH EM 800 D/W | 400 | 800 |
| 546 18 39-19 | ELITE-POLISH EM 1500 D/W | 400 | 1500 |
| 546 18 39-20 | ELITE-POLISH EM 3000 D/W | 400 | 3000 |
| 546 18 39-21 | ELITE-POLISH EM 400 D/W | 430 | 400 |
| 546 18 39-22 | ELITE-POLISH EM 800 D/W | 430 | 800 |
| 546 18 39-23 | ELITE-POLISH EM 1500 D/W | 430 | 1500 |
| 546 18 39-24 | ELITE-POLISH EM 3000 D/W | 430 | 3000 |
| 546 18 39-25 | ELITE-POLISH EM 400 D/W | 530 | 400 |
| 546 18 39-26 | ELITE-POLISH EM 800 D/W | 530 | 800 |
| 546 18 39-27 | ELITE-POLISH EM 1500 D/W | 530 | 1500 |
| 546 18 39-28 | ELITE-POLISH EM 3000 D/W | 530 | 3000 |
| 546 18 39-29 | ELITE-POLISH EM 400 D/W | 600 | 400 |
| 546 18 39-30 | ELITE-POLISH EM 800 D/W | 600 | 800 |
| 546 18 39-31 | ELITE-POLISH EM 1500 D/W | 600 | 1500 |
| 546 18 39-32 | ELITE-POLISH EM 3000 D/W | 600 | 3000 |
| 546 18 39-33 | ELITE-POLISH EM 400 D/W | 685 | 400 |
| 546 18 39-34 | ELITE-POLISH EM 800 D/W | 685 | 800 |
| 546 18 39-35 | ELITE-POLISH EM 1500 D/W | 685 | 1500 |
| 546 18 39-36 | ELITE-POLISH EM 3000 D/W | 685 | 3000 |

HUSQVARNA VARI-POLISH VT D

The Vari-Polish VT D stands out as the optimal choice for a transition tool, offering an excellent balance between performance and price. Specifically designed for dry applications, it effectively minimises scratches and serves as the ideal starting point for the polishing process.



| PRODUCT NUMBER | NAME | COLOUR | DIMENSION, MM | GRIT SIZE |
|----------------|----------------------|--------|---------------|-----------|
| 546 83 29-01 | VARI-POLISH VT 30 D | Grey | 75 | 30 |
| 546 83 29-02 | VARI-POLISH VT 50 D | Brown | 75 | 50 |
| 546 83 29-03 | VARI-POLISH VT 100 D | Black | 75 | 100 |
| 546 83 29-04 | VARI-POLISH VT 200 D | Blue | 75 | 200 |
| 546 83 29-05 | VARI-POLISH VT 400 D | Red | 75 | 400 |

HUSQVARNA VARI-POLISH VT W

The Vari-Polish VT W stands out as the optimal choice for a transition tool, offering an excellent balance between performance and price. Specifically designed for wet applications, it effectively minimises scratches and serves as the ideal starting point for the polishing process.



| PRODUCT NUMBER | NAME | COLOUR | DIMENSION, MM | GRIT SIZE |
|----------------|----------------------|--------|---------------|-----------|
| 542 86 81-30 | VARI-POLISH VT 50 W | Brown | 75 | 50 |
| 542 86 81-31 | VARI-POLISH VT 100 W | Black | 75 | 100 |
| 542 86 81-32 | VARI-POLISH VT 200 W | Blue | 75 | 200 |
| 542 86 81-33 | VARI-POLISH VT 400 W | Red | 75 | 400 |

HUSQVARNA VARI-POLISH VP D

The Vari-Polish VP D is designed to meet your polishing needs and tailored for dry polishing processes



| PRODUCT NUMBER | NAME | COLOUR | DIMENSION, MM | GRIT SIZE |
|----------------|-----------------------|--------|---------------|-----------|
| 546 68 10-01 | VARI-POLISH VP 50 D | Brown | 75 | 50 |
| 546 68 10-02 | VARI-POLISH VP 100 D | Black | 75 | 100 |
| 546 68 10-03 | VARI-POLISH VP 200 D | Blue | 75 | 200 |
| 546 68 10-04 | VARI-POLISH VP 400 D | Red | 75 | 400 |
| 546 68 10-05 | VARI-POLISH VP 800 D | White | 75 | 800 |
| 546 68 10-06 | VARI-POLISH VP 1500 D | Yellow | 75 | 1500 |
| 546 68 10-07 | VARI-POLISH VP 3000 D | Green | 75 | 3000 |

HUSQVARNA VARI-POLISH VP W

The Vari-Polish VP D is designed to meet your polishing needs and tailored for wet polishing processes



| PRODUCT NUMBER | NAME | COLOUR | DIMENSION, MM | GRIT SIZE |
|----------------|-----------------------|--------|---------------|-----------|
| 546 68 05-01 | VARI-POLISH VP 50 W | Brown | 75 | 50 |
| 546 68 05-02 | VARI-POLISH VP 100 W | Black | 75 | 100 |
| 546 68 05-03 | VARI-POLISH VP 200 W | Blue | 75 | 200 |
| 546 68 05-04 | VARI-POLISH VP 400 W | Red | 75 | 400 |
| 546 68 05-05 | VARI-POLISH VP 800 W | White | 75 | 800 |
| 546 68 05-06 | VARI-POLISH VP 1500 W | Yellow | 75 | 1500 |
| 546 68 05-07 | VARI-POLISH VP 3000 W | Green | 75 | 3000 |

HUSQVARNA VARI-POLISH VF D

The Vari-Polish VF D not only excels in delivering impressive results but also serves as a reliable troubleshooter for various issues. This competitively priced product eliminates the stress of polishing while offering a comprehensive range of grit sizes.



| PRODUCT NUMBER | NAME | COLOUR | DIMENSION, MM | GRIT SIZE |
|----------------|-----------------------|--------|---------------|-----------|
| 546 11 32-01 | VARI-POLISH VF 30 D | Grey | 180 | 30 |
| 546 11 32-02 | VARI-POLISH VF 50 D | Brown | 180 | 50 |
| 546 11 32-03 | VARI-POLISH VF 100 D | Black | 180 | 100 |
| 546 11 32-04 | VARI-POLISH VF 200 D | Blue | 180 | 200 |
| 546 11 32-05 | VARI-POLISH VF 400 D | Red | 180 | 400 |
| 546 11 32-06 | VARI-POLISH VF 800 D | White | 180 | 800 |
| 546 11 31-07 | VARI-POLISH VF 1500 D | Yellow | 180 | 1500 |
| 546 11 32-08 | VARI-POLISH VF 3000 D | Green | 180 | 3000 |
| 546 11 31-01 | VARI-POLISH VF 30 D | Grey | 230 | 30 |
| 546 11 31-02 | VARI-POLISH VF 50 D | Brown | 230 | 50 |
| 546 11 31-03 | VARI-POLISH VF 100 D | Black | 230 | 100 |
| 546 11 31-04 | VARI-POLISH VF 200 D | Blue | 230 | 200 |
| 546 11 31-05 | VARI-POLISH VF 400 D | Red | 230 | 400 |
| 546 11 31-06 | VARI-POLISH VF 800 D | White | 230 | 800 |
| 546 11 31-07 | VARI-POLISH VF 1500 D | Yellow | 230 | 1500 |
| 546 11 31-08 | VARI-POLISH VF 3000 D | Green | 230 | 3000 |
| 546 11 30-01 | VARI-POLISH VF 30 D | Grey | 270 | 30 |
| 546 11 30-02 | VARI-POLISH VF 50 D | Brown | 270 | 50 |
| 546 11 30-03 | VARI-POLISH VF 100 D | Black | 270 | 100 |
| 546 11 30-04 | VARI-POLISH VF 200 D | Blue | 270 | 200 |
| 546 11 30-05 | VARI-POLISH VF 400 D | Red | 270 | 400 |
| 546 11 30-06 | VARI-POLISH VF 800 D | White | 270 | 800 |
| 546 11 30-07 | VARI-POLISH VF 1500 D | Yellow | 270 | 1500 |
| 546 11 30-08 | VARI-POLISH VF 3000 D | Green | 270 | 3000 |

HUSQVARNA TACTI-POLISH TT W

Tacti-Polish TT W is part of our cost-effective entry-level polishing pucks. These tools effectively reduce scratches and serve as a starting point for the polishing process when the surface is too rough to begin directly with polishing tools.



| PRODUCT NUMBER | NAME | COLOUR | DIMENSION, MM | GRIT SIZE |
|----------------|-----------------------|--------|---------------|-----------|
| 546 68 03-01 | TACTI-POLISH TT 50 W | Brown | 75 | 50 |
| 546 68 03-02 | TACTI-POLISH TT 100 W | Black | 75 | 100 |
| 546 68 03-03 | TACTI-POLISH TT 200 W | Blue | 75 | 200 |

HUSQVARNA TACTI-POLISH TP D

The versatile Tacti-Polish TP D is part of our cost-effective entry-level polishing pucks. This competitively priced product is designed to assist you in achieving stress-free polishing, offering a comprehensive range of grit sizes.



| PRODUCT NUMBER | NAME | COLOUR | DIMENSION, MM | GRIT SIZE |
|----------------|------------------------|--------|---------------|-----------|
| 529 32 57-01 | TACTI-POLISH TP 50 D | Brown | 105 | 50 |
| 529 32 57-02 | TACTI-POLISH TP 100 D | Black | 105 | 100 |
| 529 32 57-03 | TACTI-POLISH TP 200 D | Blue | 105 | 200 |
| 529 32 57-04 | TACTI-POLISH TP 400 D | Red | 105 | 400 |
| 529 32 57-05 | TACTI-POLISH TP 800 D | White | 105 | 800 |
| 529 32 57-06 | TACTI-POLISH TP 1500 D | Yellow | 105 | 1500 |
| 529 32 57-07 | TACTI-POLISH TP 3000 D | Green | 105 | 3000 |

HUSQVARNA ELITE POLISH EO D

Elite-Polish EO D is crafted to meet the unique demands of overlay applications. This high-performance honing tool is engineered to deliver exceptional results in dry applications.



| PRODUCT NUMBER | NAME | COLOUR | DIMENSION, MM | GRIT SIZE |
|----------------|-----------------------|--------|---------------|-----------|
| 546 69 08-01 | ELITE-POLISH EO 50 D | Brown | 75 | 50 |
| 546 69 08-02 | ELITE-POLISH EO 100 D | Black | 75 | 100 |
| 546 69 08-03 | ELITE-POLISH EO 200 D | Blue | 75 | 200 |

HUSQVARNA ELITE-POLSH EX D

The Elite-Polish EX D is our top-of-the line system for natural stone surfaces such as marble and terrazzo.



| PRODUCT NUMBER | NAME | COLOUR | DIMENSION, MM | GRIT SIZE |
|----------------|------------------------|--------|---------------|-----------|
| 546 11 15-01 | ELITE-POLISH EX 30 D | Grey | 180 | 30 |
| 546 11 15-02 | ELITE-POLISH EX 50 D | Brown | 180 | 50 |
| 546 11 15-03 | ELITE-POLISH EX 100 D | Black | 180 | 100 |
| 546 11 15-04 | ELITE-POLISH EX 200 D | Blue | 180 | 200 |
| 546 11 15-05 | ELITE-POLISH EX 400 D | Red | 180 | 400 |
| 546 11 15-06 | ELITE-POLISH EX 800 D | White | 180 | 800 |
| 546 11 15-07 | ELITE-POLISH EX 1500 D | Yellow | 180 | 1500 |
| 546 11 15-08 | ELITE-POLISH EX 3000 D | Green | 180 | 3000 |
| 546 11 10-01 | ELITE-POLISH EX 30 D | Grey | 230 | 30 |
| 546 11 10-02 | ELITE-POLISH EX 50 D | Brown | 230 | 50 |
| 546 11 10-03 | ELITE-POLISH EX 100 D | Black | 230 | 100 |
| 546 11 10-04 | ELITE-POLISH EX 200 D | Blue | 230 | 200 |
| 546 11 10-05 | ELITE-POLISH EX 400 D | Red | 230 | 400 |
| 546 11 10-06 | ELITE-POLISH EX 800 D | White | 230 | 800 |
| 546 11 10-07 | ELITE-POLISH EX 1500 D | Yellow | 230 | 1500 |
| 546 11 10-08 | ELITE-POLISH EX 3000 D | Green | 230 | 3000 |
| 546 11 03-01 | ELITE-POLISH EX 30 D | Grey | 270 | 30 |
| 546 11 03-02 | ELITE-POLISH EX 50 D | Brown | 270 | 50 |
| 546 11 03-03 | ELITE-POLISH EX 100 D | Black | 270 | 100 |
| 546 11 03-04 | ELITE-POLISH EX 200 D | Blue | 270 | 200 |
| 546 11 03-05 | ELITE-POLISH EX 400 D | Red | 270 | 400 |
| 546 11 03-06 | ELITE-POLISH EX 800 D | White | 270 | 800 |
| 546 11 03-07 | ELITE-POLISH EX 1500 D | Yellow | 270 | 1500 |
| 546 11 03-08 | ELITE-POLISH EX 3000 D | Green | 270 | 3000 |

HUSQVARNA VARI-POLISH VS D

Specialised tools designed for sanding wooden floors.



| PRODUCT NUMBER | NAME | DIMENSION, MM | GRIT SIZE |
|----------------|----------------------|---------------|-----------|
| 593 34 36-01 | VARI-POLISH VS 30 D | 180 | 30 |
| 593 34 37-01 | VARI-POLISH VS 50 D | 180 | 50 |
| 593 34 38-01 | VARI-POLISH VS 80 D | 180 | 80 |
| 593 34 39-01 | VARI-POLISH VS 100 D | 180 | 100 |
| 593 34 40-02 | VARI-POLISH VS 120 D | 180 | 120 |
| 593 34 36-02 | VARI-POLISH VS 30 D | 230 | 30 |
| 593 34 37-02 | VARI-POLISH VS 50 D | 230 | 50 |
| 593 34 38-02 | VARI-POLISH VS 80 D | 230 | 80 |
| 593 34 39-02 | VARI-POLISH VS 100 D | 230 | 100 |
| 593 34 40-03 | VARI-POLISH VS 120 D | 230 | 120 |

NEW TOOL RANGE LINE-UP

HANDHELD TOOLS

Our cup wheels and resin tools for handheld and angle grinders are used for everything from floor coating removal to grinding and polishing different types of concrete and natural stone. The full range has been streamlined for removing, grinding, and polishing. Names combine the level of performance (ELITE/ VARI/ TACTI) with the shape of the diamond segments (Arrow, Double Row, Turbo, Single Row, and Spiral).

| CONCRETE AND NATURAL STONE GRINDING METAL TOOLS | | | | | | | | | | | |
|---|-----------------------------------|------------------------|----------------------------------|--------------------------------|------------------------------------|---|---|--|---|---|---|
| | ELITE-SERIES | | | | VARI-SERIES | | | | TACTI-SERIES | | |
| Application | REMOVING THICK COATINGS | REMOVING THIN COATINGS | MEDIUM CONCRETE & NATURAL STONES | HARD CONCRETE & NATURAL STONES | REMOVING THIN COATINGS | SOFT CONCRETE & NATURAL STONES | MEDIUM CONCRETE & NATURAL STONES | HARD CONCRETE & NATURAL STONES | SOFT CONCRETE & NATURAL STONES | MEDIUM CONCRETE & NATURAL STONES | HARD CONCRETE & NATURAL STONES |
| Level | ELITE-GRIND | ELITE-GRIND | ELITE-GRIND | ELITE-GRIND | VARI-GRIND | VARI-GRIND | VARI-GRIND | VARI-GRIND | TACTI-GRIND | TACTI-GRIND | TACTI-GRIND |
| Tool Name | T-REX® SUPER | T-REX® 0 | STAR M | STAR H | ARROW | DOUBLE S | TURBO M | SINGLE/ SPIRAL H | DOUBLE S | TURBO M | SINGLE H |
| GRIT PCD | | | | | | | | | | | |
| GRIT #25 | | | | | | | | | | | |
| GRIT #30 | | | | | | | | | | | |
| GRIT #50 | | | | | | | | | | | |
| GRIT #100 | | | | | | | | | | | |
| Dimension | 3"/75mm, 5"/125mm, 7"/180mm | 5"/125mm, 7"/180mm | 5"/125mm, 7"/180mm | 5"/125mm, 7"/180mm | 4"/105mm, 5"/125mm, 7"/180mm | 4"/105mm, 4.5"/115mm, 5"/125mm, 7"/180mm | 4"/105mm, 4.5"/115mm, 5"/125mm, 7"/180mm | 3"/75mm, 4"/105mm, 4.5"/115mm, 5"/125mm, 6"/150mm, 7"/180mm | 4"/105mm, 4.5"/115mm, 5"/125mm, 7"/180mm | 4"/105mm, 4.5"/115mm, 5"/125mm, 7"/180mm | 4"/105mm, 4.5"/115mm, 5"/125mm, 7"/180mm |
| Bore Available | 7/8" | 7/8" | 7/8" | 7/8" | 7/8"; 5/8" - 11 THD | 7/8"; 7/8" - 5/8" B; 5/8" - 11 THD | 7/8"; 7/8" - 5/8" B; 5/8" - 11 THD | 7/8"; 7/8" - 5/8" B; 5/8" - 11 THD; 3/4" | 1" - 7/8" B | 1" - 7/8" B | 1" - 7/8" B |

Note: THD = Thread; B = Bushing

Contact your sales representative to find the right tool holder for your machine.

| CONCRETE POLISHING - RESIN TOOLS | | | SPECIAL APPLICATIONS | |
|----------------------------------|------------------------|--------------------|----------------------|-----------------------|
| ELITE-SERIES | VARI-SERIES | TACTI-SERIES | ELITE-SERIES | VARI-SERIES |
| POLISHING HANDHELD | POLISHING HANDHELD | POLISHING HANDHELD | RESIN TRANSITION | CORNER POLISHING PADS |
| ELITE-POLISH | VARI-POLISH | TACTI-POLISH | ELITE-GRIND | VARI-POLISH |
| EP EDGE D | VP EDGE D VP EDGE W | TF EDGE D | TRANSITION | VC D |

| | | | | | |
|-------------------|--|--|--|--|--|
| GRIT #30 | | | | | |
| GRIT #50 | | | | | |
| GRIT #100 | | | | | |
| GRIT #200 | | | | | |
| GRIT #400 | | | | | |
| GRIT #800 | | | | | |
| GRIT #1500 | | | | | |
| GRIT #3000 | | | | | |

| | | | | | |
|------------|---|---|---|------|---------|
| Dimension | - | - | - | 5/7" | - |
| Attachment | | | | | VELCRO® |

WET
 DRY

Contact your sales representative to find the right tool holder for your machine.

GRINDING TOOLS

HUSQVARNA ELITE-GRIND T-REX SUPER

Elite-Grind T-Rex Super is a PCD designed for highly aggressive removal of 1-3 mm of material.



| PRODUCT NUMBER | NAME | DIAMETER, MM |
|----------------|-------------------------|--------------|
| 529 85 93-05 | ELITE-GRIND T-REX SUPER | 75 |
| 529 85 93-25 | ELITE-GRIND T-REX SUPER | 125 |
| 529 85 93-80 | ELITE-GRIND T-REX SUPER | 180 |

HUSQVARNA ELITE-GRIND T-REX O

Elite-Grind T-Rex O is a PCD designed for removal of material less than 1mm.



| PRODUCT NUMBER | NAME | DIAMETER, MM |
|----------------|---------------------|--------------|
| 546 72 30-25 | ELITE-GRIND T-REX O | 125 |
| 546 72 31-25 | ELITE-GRIND T-REX O | 180 |

HUSQVARNA ELITE-GRIND STAR M

Elite-Grind Star M are expertly crafted to provide enhanced removal capabilities and a longer lifespan when used on abrasive surfaces.



| PRODUCT NUMBER | NAME | DIAMETER, MM | GRIT SIZE |
|----------------|--------------------|--------------|-----------|
| 529 85 63-25 | ELITE-GRIND STAR M | 125 | 25 |
| 529 85 65-25 | ELITE-GRIND STAR M | 125 | 30 |
| 529 85 66-25 | ELITE-GRIND STAR M | 125 | 50 |
| 529 85 67-25 | ELITE-GRIND STAR M | 125 | 100 |
| 529 85 63-80 | ELITE-GRIND STAR M | 180 | 25 |
| 529 85 65-80 | ELITE-GRIND STAR M | 180 | 30 |
| 529 85 66-80 | ELITE-GRIND STAR M | 180 | 50 |
| 529 85 67-80 | ELITE-GRIND STAR M | 180 | 100 |

HUSQVARNA ELITE-GRIND STAR H

Elite-Grind Star H is specifically designed for hard floors, this tool excels in delivering superior removal capabilities.



| PRODUCT NUMBER | NAME | DIAMETER, MM | GRIT SIZE |
|----------------|--------------------|--------------|-----------|
| 529 85 68-25 | ELITE-GRIND STAR H | 125 | 25 |
| 529 85 69-25 | ELITE-GRIND STAR H | 125 | 30 |
| 529 85 70-25 | ELITE-GRIND STAR H | 125 | 50 |
| 529 85 71-25 | ELITE-GRIND STAR H | 125 | 100 |
| 529 85 68-80 | ELITE-GRIND STAR H | 180 | 25 |
| 529 85 69-80 | ELITE-GRIND STAR H | 180 | 30 |
| 529 85 70-80 | ELITE-GRIND STAR H | 180 | 50 |
| 529 85 71-80 | ELITE-GRIND STAR H | 180 | 100 |

HUSQVARNA VARI-GRIND ARROW O

Vari-Grind Arrow O has an arrow shape segment, which is specifically designed to enhance material penetration, allowing the cup wheel to achieve excellent results in coating removal.



| PRODUCT NUMBER | NAME | DIAMETER, MM | CONNECTOR |
|----------------|--------------------|--------------|--------------|
| 546 40 29-07 | VARI-GRIND ARROW O | 105 | 5/8 - 11 THD |
| 546 40 33-04 | VARI-GRIND ARROW O | 105 | 7/8 |
| 546 40 30-04 | VARI-GRIND ARROW O | 125 | 5/8 - 11 THD |
| 546 40 38-05 | VARI-GRIND ARROW O | 125 | 7/8 |
| 546 40 31-05 | VARI-GRIND ARROW O | 180 | 5/8 - 11 THD |
| 546 40 32-07 | VARI-GRIND ARROW O | 180 | 7/8 |

HUSQVARNA VARI-GRIND DOUBLE S

Vari-Grind Double S is developed to cater for the needs of versatile professionals who work in diverse conditions. Its double segment shape offers the advantage of working at a slower pace of material removal.



| PRODUCT NUMBER | NAME | DIAMETER, MM | CONNECTOR |
|----------------|-----------------------|--------------|--------------|
| 585 32 71-19 | VARI-GRIND DOUBLE S | 105 | 5/8 - 11 THD |
| 542 77 30-77 | VARI-GRIND DOUBLE S | 105 | 7/8 - 5/8 B |
| 579 82 15-30 | VARI-GRIND DOUBLE S | 115 | 7/8 |
| 579 82 15-40 | VARI-GRIND DOUBLE S | 125 | 7/8 |
| 585 32 71-20 | VARI-GRIND DOUBLE S | 180 | 5/8 - 11 THD |
| 542 77 30-80 | VARI-GRIND DOUBLE S | 180 | 7/8 - 5/8 B |
| 579 52 15-60 | VARI-GRIND DOUBLE S | 180 | 7/8 |
| 585 32 71-08 | VARI-GRIND DOUBLE+ S | 105 | 5/8 - 11 THD |
| 542 75 13-07 | VARI-GRIND DOUBLE+ S | 105 | 7/8 - 5/8 B |
| 585 32 71-09 | VARI-GRIND DOUBLE+ S | 125 | 5/8 - 11 THD |
| 542 75 13-13 | VARI-GRIND DOUBLE + S | 125 | 7/8 - 5/8 B |
| 585 32 71-10 | VARI-GRIND DOUBLE + S | 180 | 5/8 - 11 THD |
| 542 75 13-18 | VARI-GRIND DOUBLE + S | 180 | 7/8 - 5/8 B |

HUSQVARNA VARI-GRIND TURBO M

Vari-Grind Turbo M is developed to cater for the varying needs of professionals who work in diverse conditions. The Turbo segment is specifically designed to strike a perfect balance between a medium lifespan and efficient material removal.



| PRODUCT NUMBER | NAME | DIAMETER, MM | CONNECTOR |
|----------------|---------------------|--------------|--------------|
| 585 32 71-21 | VARI-GRIND TURBO M | 105 | 5/8 - 11 THD |
| 542 77 30-78 | VARI-GRIND TURBO M | 105 | 7/8 - 5/8 B |
| 579 82 14-30 | VARI-GRIND TURBO M | 115 | 7/8 |
| 579 82 14-40 | VARI-GRIND TURBO M | 125 | 7/8 |
| 585 32 71-22 | VARI-GRIND TURBO M | 180 | 5/8 - 11 THD |
| 579 82 14-60 | VARI-GRIND TURBO M | 180 | 7/8 |
| 542 77 30-81 | VARI-GRIND TURBO M | 180 | 7/8 - 5/8 B |
| 585 32 71-11 | VARI-GRIND TURBO+ M | 105 | 5/8 - 11 THD |
| 542 75 13-08 | VARI-GRIND TURBO+ M | 105 | 7/8 - 5/8 B |
| 585 32 71-12 | VARI-GRIND TURBO+ M | 125 | 5/8 - 11 THD |
| 585 32 71-13 | VARI-GRIND TURBO+ M | 180 | 5/8 - 11 THD |
| 542 75 13-19 | VARI-GRIND TURBO+ M | 180 | 7/8 - 5/8 B |

HUSQVARNA VARI-GRIND SINGLE H

Vari-Grind Single H features a single row segment shape, which optimises cutting performance, enabling efficient material removal while ensuring long-lasting durability even under demanding conditions.



| PRODUCT NUMBER | NAME | DIAMETER, MM | CONNECTOR |
|----------------|----------------------|--------------|--------------|
| 585 32 71-17 | VARI-GRIND SINGLE H | 105 | 5/8 - 11 THD |
| 542 77 30-76 | VARI-GRIND SINGLE H | 105 | 7/8 - 5/8 B |
| 585 32 71-18 | VARI-GRIND SINGLE H | 180 | 5/8 - 11 THD |
| 579 82 13-60 | VARI-GRIND SINGLE H | 180 | 7/8 - 5/8 B |
| 546 33 32-05 | VARI-GRIND SINGLE+ H | 85 | 7/8 |
| 585 32 71-05 | VARI-GRIND SINGLE+ H | 105 | 5/8 - 11 THD |
| 542 75 13-06 | VARI-GRIND SINGLE+ H | 105 | 7/8 - 5/8 B |
| 585 32 71-06 | VARI-GRIND SINGLE+ H | 125 | 5/8 - 11 THD |
| 542 75 13-12 | VARI-GRIND SINGLE+ H | 125 | 7/8 - 5/8 B |
| 585 32 71-07 | VARI-GRIND SINGLE+ H | 180 | 5/8 - 11 THD |
| 542 75 13-17 | VARI-GRIND SINGLE+ H | 180 | 7/8 - 5/8 B |

HUSQVARNA VARI-GRIND SPIRAL H

Vari-Grind Spiral H is a specific variant with a grit size of 30, offering a remarkable combination of short lifespan and exceptional removal speed. It provides an accelerated material removal rate, allowing for faster progress.



| PRODUCT NUMBER | NAME | DIAMETER, MM | CONNECTOR |
|----------------|---------------------|--------------|-----------|
| 579 82 11-01 | VARI-GRIND SPIRAL H | 105 | 7/8 |
| 579 82 11-30 | VARI-GRIND SPIRAL H | 115 | 7/8 |
| 579 82 11-40 | VARI-GRIND SPIRAL H | 125 | 7/8 |
| 579 82 11-50 | VARI-GRIND SPIRAL H | 150 | 3/4 |
| 579 82 11-60 | VARI-GRIND SPIRAL H | 180 | 7/8 |

HUSQVARNA TACTI-GRIND DOUBLE S

Tacti-Grind Double S provides an excellent performance-to-price ratio, making it an ideal option for occasional use. The double row segment shape provides longer life and low pace removal.



| PRODUCT NUMBER | NAME | DIAMETER, MM | CONNECTOR |
|----------------|----------------------|--------------|-----------|
| 582 24 23-22 | TACTI-GRIND DOUBLE S | 105 | 1 - 7/8 B |
| 582 24 23-30 | TACTI-GRIND DOUBLE S | 115 | 1 - 7/8 B |
| 582 24 23-40 | TACTI-GRIND DOUBLE S | 125 | 1 - 7/8 B |
| 582 24 23-60 | TACTI-GRIND DOUBLE S | 180 | 1 - 7/8 B |

HUSQVARNA TACTI-GRIND TURBO M

Vari-Grind Spiral H is a specific cup wheel with a grit size of 30, offering a remarkable combination of short lifespan and exceptional removal speed. It provides an accelerated material removal rate, allowing for faster progress.



| PRODUCT NUMBER | NAME | DIAMETER, MM | CONNECTOR |
|----------------|---------------------|--------------|-----------|
| 582 24 22-22 | TACTI-GRIND TURBO M | 105 | 1 - 7/8 B |
| 582 24 22-30 | TACTI-GRIND TURBO M | 115 | 1 - 7/8 B |
| 582 24 22-40 | TACTI-GRIND TURBO M | 125 | 1 - 7/8 B |
| 582 24 22-60 | TACTI-GRIND TURBO M | 180 | 1 - 7/8 B |

HUSQVARNA TACTI-GRIND SINGLE H

Tacti-Grind Single H is part of our Bronze series of cup wheels. It provides an excellent performance-to-price ratio. The single row segment shape provides high removal speed when working with hard materials.



| PRODUCT NUMBER | NAME | DIAMETER, MM | CONNECTOR |
|----------------|----------------------|--------------|-----------|
| 582 23 89-40 | TACTI-GRIND SINGLE H | 125 | 1 - 7/8 B |
| 582 23 89-60 | TACTI-GRIND SINGLE H | 180 | 1 - 7/8 B |

RESIN TOOLS

HUSQVARNA ELITE-POLISH EP EDGE D

Elite-Polish EP Edge D is our finest professional polishing tool designed specifically for handheld machines. This tool is meticulously crafted to deliver outstanding performance in handheld applications. The complete range of specific resin options provides unrivaled flexibility, allowing you to attain maximum gloss with fewer steps.



| PRODUCT NUMBER | NAME | DIAMETER, MM | GRIT SIZE |
|----------------|-----------------------------|--------------|-----------|
| 529 86 01-03 | ELITE-POLISH EP EDGE 30 D | 125 | 30 |
| 529 86 01-04 | ELITE-POLISH EP EDGE 50 D | 125 | 50 |
| 529 86 01-05 | ELITE-POLISH EP EDGE 100 D | 125 | 100 |
| 529 86 01-06 | ELITE-POLISH EP EDGE 200 D | 125 | 200 |
| 529 86 01-07 | ELITE-POLISH EP EDGE 400 D | 125 | 400 |
| 529 86 01-08 | ELITE-POLISH EP EDGE 800 D | 125 | 800 |
| 529 86 01-09 | ELITE-POLISH EP EDGE 1500 D | 125 | 1500 |
| 529 86 01-10 | ELITE-POLISH EP EDGE 3000 D | 125 | 3000 |

HUSQVARNA VARI-POLISH VP EDGE D

Vari-Polish VP Edge D is designed to meet your polishing needs and tailored for dry handheld polishing. The VELCRO® brand attachment provides universal compatibility, allowing you to effortlessly use this product on all types of machines.



| PRODUCT NUMBER | NAME | DIAMETER, MM | GRIT SIZE |
|----------------|----------------------------|--------------|-----------|
| 546 69 01-01 | VARI POLISH VP EDGE 50 D | 125 | 50 |
| 546 69 01-02 | VARI POLISH VP EDGE 100 D | 125 | 100 |
| 546 69 01-03 | VARI POLISH VP EDGE 200 D | 125 | 200 |
| 546 69 01-04 | VARI POLISH VP EDGE 400 D | 125 | 400 |
| 546 69 01-05 | VARI POLISH VP EDGE 800 D | 125 | 800 |
| 546 69 01-06 | VARI POLISH VP EDGE 1500 D | 125 | 1500 |
| 546 69 01-07 | VARI POLISH VP EDGE 3000 D | 125 | 3000 |

HUSQVARNA VARI-POLISH VP EDGE W

Vari-Polish VP Edge D is designed to meet your polishing needs and tailored for wet handheld polishing. The VELCRO® brand attachment provides universal compatibility, allowing you to effortlessly use this product on all types of machines.



| PRODUCT NUMBER | NAME | DIAMETER, MM | GRIT SIZE |
|----------------|----------------------------|--------------|-----------|
| 546 68 19-01 | VARI POLISH VP EDGE 50 W | 125 | 50 |
| 546 68 19-02 | VARI POLISH VP EDGE 100 W | 125 | 100 |
| 546 68 19-03 | VARI POLISH VP EDGE 200 W | 125 | 200 |
| 546 68 19-04 | VARI POLISH VP EDGE 400 W | 125 | 400 |
| 546 68 19-05 | VARI POLISH VP EDGE 800 W | 125 | 800 |
| 546 68 19-06 | VARI POLISH VP EDGE 1500 W | 125 | 1500 |
| 546 68 19-07 | VARI POLISH VP EDGE 3000 W | 125 | 3000 |

HUSQVARNA TACTI-POLISH TF EDGE D

The versatile Tacti-Polish TF Edge D is part of our cost-effective entry-level polishing tools designed specifically for handheld use. This product is perfect for those seeking a budget-friendly option that delivers stress-free polishing, offering all available grit sizes to accommodate your entire polishing process.



| PRODUCT NUMBER | NAME | DIAMETER, MM | GRIT SIZE |
|----------------|-----------------------------|--------------|-----------|
| 546 11 33-01 | TACTI-POLISH TF EDGE 30 D | 125 | 30 |
| 546 11 33-02 | TACTI-POLISH TF EDGE 50 D | 125 | 50 |
| 546 11 33-03 | TACTI-POLISH TF EDGE 100 D | 125 | 100 |
| 546 11 33-04 | TACTI-POLISH TF EDGE 200 D | 125 | 200 |
| 546 11 33-05 | TACTI-POLISH TF EDGE 400 D | 125 | 400 |
| 546 11 33-06 | TACTI-POLISH TF EDGE 800 D | 125 | 800 |
| 546 11 33-07 | TACTI-POLISH TF EDGE 1500 D | 125 | 1500 |
| 546 11 33-08 | TACTI-POLISH TF EDGE 3000 D | 125 | 3000 |

SPECIAL APPLICATIONS

HUSQVARNA ELITE-GRIND TRANSITION

Elite-Grind Transition tool is recommended for use between metal and resin to reduce scratches and prepare the floor for the first phase of polishing.



| PRODUCT NUMBER | NAME | DIAMETER, MM | GRIT SIZE | CONNECTOR |
|----------------|------------------------|--------------|-----------|-----------|
| 546 40 42-25 | ELITE-GRIND TRANSITION | 125 | 30 | 7/8 |
| 546 40 43-25 | ELITE-GRIND TRANSITION | 125 | 50 | 7/8 |
| 546 40 44-25 | ELITE-GRIND TRANSITION | 125 | 100 | 7/8 |
| 546 40 45-25 | ELITE-GRIND TRANSITION | 125 | 200 | 7/8 |
| 546 40 46-80 | ELITE-GRIND TRANSITION | 180 | 30 | 7/8 |
| 546 40 47-80 | ELITE-GRIND TRANSITION | 180 | 50 | 7/8 |
| 546 40 48-80 | ELITE-GRIND TRANSITION | 180 | 100 | 7/8 |
| 546 40 49-80 | ELITE-GRIND TRANSITION | 180 | 200 | 7/8 |

HUSQVARNA VARI-POLISH VC D

The Vari-Polish VC D are diamond-infused triangle pads, ideal for use with handheld machines. The complete range of pads ensures that you can maintain a consistent floor level throughout. The triangular shape of the pads allows you to grind right to the edge of corners, leaving no area untouched.



| PRODUCT NUMBER | NAME | GRIT SIZE |
|----------------|-----------------------|-----------|
| 590 53 39-01 | VARI-POLISH VC 50 D | 50 |
| 590 53 39-02 | VARI-POLISH VC 100 D | 100 |
| 590 53 39-03 | VARI-POLISH VC 200 D | 200 |
| 590 53 39-04 | VARI-POLISH VC 400 D | 400 |
| 590 53 39-05 | VARI-POLISH VC 800 D | 800 |
| 590 53 39-06 | VARI-POLISH VC 1500 D | 1500 |
| 590 53 39-07 | VARI-POLISH VC 3000 D | 3000 |





**NEED HELP
CHOOSING
THE RIGHT TOOL?**

Achieving successful results with floor surfaces is not only about your equipment, but also about your choice of diamond tools. Knowing exactly which tools and chemicals you need can be a challenge, even for the most experienced floor specialists.

Use the Husqvarna tool selector to easily select, recommend and purchase the right diamond tools for your surface preparation and floor treatment projects.

WHAT?

Think of the tool selector as your digital assistant. It brings together our extensive application knowledge and diamond tool expertise in one place, to pinpoint the optimal set of diamond tools and chemicals needed for your specific job.

Simply enter information about the material, finish, surface size and equipment to find the tools and chemicals you need to get the best results for your project.

WHEN?

Estimate and quote projects more accurately by specifying all products needed at each step of the process, from grinding to polishing and cleaning.

WHY?


Save valuable time, reduce costs and be more productive. It only takes a few steps to see what your job needs, so you can be sure of leaving behind the best possible results on every floor, every time.

HOW?

SCAN THE QR CODE TO USE THE TOOL SELECTOR



SCAN ME




TECHNICAL SPECIFICATIONS

* total height of the cup wheel in mm

** available also with GR 80 and 120

| CATEGORY | MARKET NAME | COOLANT | CONNECTOR | SEGMENT HEIGHT | Dimensions | | | | | | | | | | | | |
|-----------|-----------------------------|---------|-----------------|----------------|------------|--------|--------|--------|--------|--------|--------|--------|------------|--------|------------------------|--|--|
| | | | | | 3" | 4" | 4.5" | 5" | 6" | 7" | 9" | 10" | 10" | 11" | 16"/17"/21"/24"/27" | | |
| | | | | | 75 mm | 105 mm | 115 mm | 125 mm | 150 mm | 180 mm | 230 mm | 250 mm | 255/265 mm | 270 mm | 400/430/530/600/685 mm | | |
| cup wheel | ELITE-GRIND T-REX Super | Dry | 7/8 | 3 mm | 21* | | | 21* | | 29* | | | | | | | |
| cup wheel | ELITE-GRIND T-REX O | Dry | 7/8 | 3 mm | | | | 21* | | 29* | | | | | | | |
| cup wheel | ELITE-GRIND STAR M | Dry | 7/8 | 7 mm | | | | 23* | | 33* | | | | | | | |
| cup wheel | ELITE-GRIND STAR H | Dry | 7/8 | 7 mm | | | | 23* | | 33* | | | | | | | |
| cup wheel | ELITE-GRIND TRANSITION | Dry | 7/8 | 6 mm | | | | 21* | | 27* | | | | | | | |
| cup wheel | VARI-GRIND ARROW O | Dry | 5/8 - 11 THD | 7 mm | | | 24* | 24* | | 34* | | | | | | | |
| cup wheel | VARI-GRIND ARROW O | Dry | 7/8 | 7 mm | | | 22* | 22* | | 32* | | | | | | | |
| cup wheel | VARI-GRIND DOUBLE S | Dry | 5/8 - 11 THD | 6 mm | | | 23* | 21* | | 31* | | | | | | | |
| cup wheel | VARI-GRIND DOUBLE S | Dry | 7/8 | 6 mm | | | 21* | 21* | | 31* | | | | | | | |
| cup wheel | VARI-GRIND DOUBLE S | Dry | 7/8 - 5/8 B | 6 mm | | | 23* | 21* | | 31* | | | | | | | |
| cup wheel | VARI-GRIND TURBO M | Dry | 5/8 - 11 THD | 6 mm | | | 23* | 20* | | 23* | | | | | | | |
| cup wheel | VARI-GRIND TURBO M | Dry | 7/8 | 6 mm | | | 20* | 20* | | 23* | | | | | | | |
| cup wheel | VARI-GRIND TURBO M | Dry | 7/8 - 5/8 B | 6 mm | | | 21* | | | 23* | | | | | | | |
| cup wheel | VARI-GRIND SINGLE H | Dry | 5/8 - 11 THD | 6 mm | | | 232* | 21* | | 30* | | | | | | | |
| cup wheel | VARI-GRIND SINGLE H | Dry | 7/8 | 6 mm | 21* | | | | | | | | | | | | |
| cup wheel | VARI-GRIND SINGLE H | Dry | 7/8 - 5/8 B | 6 mm | | | 21* | 21* | | 30* | | | | | | | |
| cup wheel | VARI-GRIND SPIRAL H | Dry | 3/4 | 6 mm | | | | | 215* | | | | | | | | |
| cup wheel | VARI-GRIND SPIRAL H | Dry | 7/8 | 6 mm | | | 20* | 20* | 20* | 25* | | | | | | | |
| cup wheel | TACTI-GRIND DOUBLE S | Dry | 1 - 7/8 B | 5 mm | | | 20* | 20* | 20* | 23* | | | | | | | |
| cup wheel | TACTI-GRIND TURBO M | Dry | 1 - 7/8 B | 5 mm | | | 20* | 20* | 20* | 23* | | | | | | | |
| cup wheel | TACTI-GRIND SINGLE H | Dry | 1 - 7/8 B | 5 mm | | | | 20* | | 23* | | | | | | | |
| metal | ELITE-GRIND RING T-REX | Dry | cross/head lock | - | | | | | | | | | | | | | |
| metal | ELITE-GRIND EZ T-REX Dome | Dry | EZchange | - | ● | | | | | | | | | | | | |
| metal | ELITE-GRIND EZ T-REX Super | Dry | EZchange | - | ● | | | | | | | | | | | | |
| metal | ELITE-GRIND EZ T-REX O | Dry | EZchange | 13 mm | ● | | | | | | | | | | | | |
| metal | ELITE-GRIND EZ XS | Dry | EZchange | 13 mm | ● | | | | | | | | | | | | |
| metal | ELITE-GRIND EZ S | Dry | EZchange | 13 mm | ● | | | | | | | | | | | | |
| metal | ELITE-GRIND EZ M | Dry | EZchange | 13 mm | ● | | | | | | | | | | | | |
| metal | ELITE-GRIND EZ H | Dry | EZchange | 13 mm | ● | | | | | | | | | | | | |
| metal | ELITE-GRIND EZ X | Dry | EZchange | 13 mm | ● | | | | | | | | | | | | |
| metal | ELITE-GRIND EZ SHARXX | Dry | EZchange | 13 mm | ● | | | | | | | | | | | | |
| metal | ELITE-GRIND PREMIUM + | Dry | bold on | 10 mm | | | | | | | | | | | | | |
| metal | ELITE-GRIND DISC T-REX | Dry | bold on | - | | | | | | | | | | | | | |
| metal | ELITE-GRIND SUPREME | Dry | bold on | 10 mm | | | | | | | | | | | | | |
| metal | ELITE-SHAVE | Dry/Wet | HEX | 10 mm | | | | | | | | | | | | | |
| metal | ELITE-GRIND SGW | Wet | Cross Complete | 10 mm | | | | | | | | | | | | | |
| metal | ELITE-HAMMER RAVAGER | Dry | Cross | - | | | | | | | | | | | | | |
| metal | ELITE HAMMER RAVAGER | Dry | Head Lock | - | | | | | | | | | | | | | |
| metal | VARI-GRIND EZ T-REX CLASSIC | Dry | EZchange | - | | | | | | | | | | | | | |
| metal | VARI-GRIND ARROW | Dry | bold on | 7 mm | | | | | | | | | | | | | |
| metal | VARI-GRIND STAR | Dry | bold on | 10 mm | | | | | | | | | | | | | |
| metal | VARI-GRIND EZ S | Dry | EZchange | 10 mm | ● | | | | | | | | | | | | |
| metal | VARI-GRIND EZ M | Dry | EZchange | 10 mm | ● | | | | | | | | | | | | |
| metal | VARI-GRIND EZ H | Dry | EZchange | 10 mm | ● | | | | | | | | | | | | |
| metal | VARI-GRIND EZ SL | Dry | EZchange | 10 mm | ● | | | | | | | | | | | | |
| metal | TACTI-GRIND EURO | Dry | bold on | 10 mm | | | | | | | | | | | | | |
| resin | ELITE-POLISH ET D | Dry | EZchange | - | ● | | | | | | | | | | | | |
| resin | ELITE-POLISH EP D | Dry | EZchange | - | ● | | | | | | | | | | | | |
| resin | ELITE-POLISH EP Edge D | Dry | Velcro | - | | | | | | | | | | | | | |
| resin | ELITE-POLISH EF D | Dry | EZchange | - | | | | | | | | | | | | | |
| resin | ELITE-POLISH EF W | Wet | EZchange | - | | | | | | | | | | | | | |
| resin | ELITE-POLISH EFT W | Wet | EZchange | - | | | | | | | | | | | | | |
| resin | ELITE-POLISH EB D/W | Dry/Wet | EZchange | - | | | | | | | | | | | | | |
| resin | ELITE-POLISH EB/EM D/W | Dry/Wet | Velcro | - | | | | | | | | | | | | | |
| resin | ELITE-POLISH EO D | Dry | Velcro | - | | | | | | | | | | | | | |
| resin | ELITE-POLISH EX D | Dry | EZchange | - | | | | | | | | | | | | | |
| resin | VARI-POLISH VT D | Dry | Velcro | - | | | | | | | | | | | | | |
| resin | VARI-POLISH VT W | Wet | Velcro | - | | | | | | | | | | | | | |
| resin | VARI-POLISH VP D | Dry | Velcro | - | | | | | | | | | | | | | |
| resin | VARI-POLISH VP W | Wet | Velcro | - | | | | | | | | | | | | | |
| resin | VARI-POLISH VP Edge D | Dry | Velcro | - | | | | | | | | | | | | | |
| resin | VARI-POLISH VP Edge W | Wet | Velcro | - | | | | | | | | | | | | | |
| resin | VARI-POLISH VF D | Dry | EZchange | - | | | | | | | | | | | | | |
| resin | VARI-POLISH VC D | Dry | Velcro | - | | | | | | | | | | | | | |
| resin | VARI-POLISH VS D ** | Dry | Velcro | - | | | | | | | | | | | | | |
| resin | TACTI-POLISH TT W | Wet | Velcro | - | | | | | | | | | | | | | |
| resin | TACTI-POLISH TP D | Dry | Velcro | - | | | | | | | | | | | | | |
| resin | TACTI-POLISH TF Edge D | Dry | Velcro | - | | | | | | | | | | | | | |



THE HUSQVARNA ADVANTAGE

Challenge us to exceed your expectations. Whatever you need to get the best possible results – machines, tools, efficient services or friendly guidance – we’re ready to deliver it.

WIDEST OFFERING

The only global player with such a complete offering.

BROADEST SELECTION

An unparalleled range of premium equipment to meet your needs.

NEW APPLICATIONS

Get support for working with new methods, techniques and applications.

TACKLE ANY SURFACE

From extremely abrasive floors to the hardest concrete, as well as special applications like natural stone and wood.

GET WORLD-CLASS SUPPORT

Benefit from a deep resource of industry expertise and know-how from qualified technicians and a responsive team.

SCAN THIS QR CODE TO FIND THE COMPLETE CONVERSION LIST FROM OLD TO NEW ARTICLES.



SURFACE MATERIAL CHART

• = OPTIMAL

| | | | Category | Parent ID name | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|-------------------------|----------------------------------|----------|-------------------|------------------|------------------|-------------------|-------------------|------------------|------------------|-------------------|------------------------|-----------------------|-----------------------|------------------------|------------------|--------------------|------------------|------------------|----------------------|------------------|-------------------|------------------|-------------------|-------------------------|--------------------|---------------------|----------------------|---------------------|---------------------|---|
| | | | resin | TACTI-POLISH TT W | VARI-POLISH VT W | VARI-POLISH VT D | ELITE-POLISH ET D | TACTI-POLISH TP D | VARI-POLISH VP W | VARI-POLISH VP D | ELITE-POLISH EP D | TACTI-POLISH TF Edge D | VARI-POLISH VP Edge W | VARI-POLISH VP Edge D | ELITE-POLISH EP Edge D | VARI-POLISH VF D | ELITE-POLISH EFT W | ELITE-POLISH EFW | ELITE-POLISH EFD | ELITE-POLISH EB/EM D | VARI-POLISH VC D | ELITE-POLISH EO D | VARI-POLISH VS D | ELITE-POLISH EX D | ELITE-GRIND T-REX Super | VARI-GRIND ARROW O | ELITE-GRIND T-REX O | TACTI-GRIND DOUBLE S | VARI-GRIND DOUBLE S | TACTI-GRIND TURBO M | |
| Concrete | Damaged concrete | Trip Hazard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Concrete | Damaged concrete | Rain-damaged concrete | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Concrete | Extra-soft concrete | Extra soft cured concrete | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Concrete | Extra-soft concrete | Tile screeds | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Concrete | Soft concrete | Soft cured concrete | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Concrete | Medium-Hard concrete | Medium cured concrete | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Concrete | Medium-Hard concrete | Reinforced concrete | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Concrete | Hard concrete | Hard cured concrete | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Concrete | Extra-hard concrete | Extra hard cured concrete | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Concrete | Extremely hard concrete | Extremely hard cured concrete | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tile & Stone | Natural stone | Marble | | | | | | • | | | | • | | | | | • | • | | • | | | • | | | | • | • | • | • | |
| Bricks & Blocks | Bricks & Blocks | Brick | | | | | | | | | | | | | | | | | | | | | | | | | | • | • | • | • |
| Coatings | Epoxy | Thin Epoxy (<1mm) | | | | | | | | | | | | | | | | | | | | | | | | • | • | | | | |
| Coatings | Epoxy | Thick epoxy (1-3 mm) | | | | | | | | | | | | | | | | | | | | | | | • | | | | | | |
| Coatings | Glues | Vinyl glue | | | | | | | | | | | | | | | | | | | | | | | | • | • | | | | |
| Coatings | Glues | Ceramic glue | | | | | | | | | | | | | | | | | | | | | | | | • | • | | | | |
| Coatings | Glues | Carpet glue | | | | | | | | | | | | | | | | | | | | | | | • | | | | | | |
| Coatings | Leveling compound | Thin leveling compound (<1mm) | | | | | | | | | | | | | | | | | | | | | | | | • | • | | | | |
| Coatings | Leveling compound | Thick leveling compound (1-3 mm) | | | | | | | | | | | | | | | | | | | | | | | • | | | | | | |
| Coatings | Paint | Thin paint (<1mm) | | | | | | | | | | | | | | | | | | | | | | | | • | • | | | | |
| Coatings | Paint | Thick paint (1-3 mm) | | | | | | | | | | | | | | | | | | | | | | | • | | | | | | |
| Overlays | Cementitious overlay | Cementitious overlay | | | | | | | | | | | | | | | | | | | | | | | • | | | | | | |
| Overlays | Terrazzo | Cementitious terrazzo | | | | • | • | | • | • | • | | • | • | • | | | | | • | • | • | | | | | | | | | |
| Overlays | Terrazzo | Epoxy based terrazzo | | | | | | • | | | | | • | | | | | | | • | | | | | | | | | | | |
| Wood | Wood | Wooden floors | | | | | | | | | | | | | | | | | | | | | | • | | | | | | | |



EXPECT MORE

With Husqvarna Construction as your business partner, you can expect more. Not just from our equipment and diamond tools, but from us. More support so you can perform at your best. More smart ideas to keep your business at the cutting edge. More concern for your health. And more care for our environment. Because we know the more we put in, the more you get out.

 **Husqvarna**[®]

www.husqvarnaconstruction.com