\leftarrow HOME \leftarrow FLOOR GRINDERSPG 510

Husqvarna PG 510





OUTPUT POWER



GRINDING WIDTH



WEIGHT

- Easy to use
- Efficient dust management
- Easy to transport and set-up
- ✓ Planetary operation

PHASES

1 3

PINS

2 5


VOLTAGE

380-420 V

220**-**240 V

PRODUCT VARIANT

VIEW ALL



Product details for PG 510



PRODUCT DESCRIPTION

The PG 510 is a planetary floor grinder with three grinding discs and a total grinding width of 515 mm. It is suitable for removing coatings, grinding and polishing concrete, etc. The grinding head on the PG 510 is effectively sealed to keep dust and moisture out. This greatly extends the lifetime of the bearings and belts. The PG 510 is ideal as a rental machine and suitable for both professional and semi-professional work. Quick-release couplings allow the grinding head to be separated from the chassis which can then be easily folded for transport. The grinder also has a digital hour meter.

× FEATURES

Discover all features and learn more about the benefits

SHOWING 8 FEATURES

EASY TO USE

The speed is fixed and no settings are required. The machine also has an user-friendly logical control...



EFFICIENT DUST MANAGEMENT

Self-adjusting floating cover with brush list follows the surface and gives a tight seal to prevent the...



EASY TO TRANSPORT AND SET-UP

The machine is light and fits easily in any car thanks to the compact design and foldable frame and...



PLANETARY OPERATION

The machine has three grinding discs making it suitable for a wide range of applications.



SEALED GRINDING HEAD

The grinding head is effectively sealed to keep dust and moisture out. This greatly extends the lifetime...



TIME SAVING TOOL CHANGE

Redi Lock® is an instant and hassle-free system for changing diamond tooling.



HOUR METER

Possibility to log operating hours.



REDI LOCK®

Redi Lock® is an instant and hassle-free system for changing diamond tooling. Robust system design...



× TECH DATA TABLE

Get full product details and all technical specifications

Output power	4 KVV
Phases	3
Grinding width	515 mm
Weight	133 kg

ALL SPECIFICATIONS PG 510	PG 510 380- 420V 3-PH 50 HZ EU 967 93 20-01	240V 1-PH
ENGINE		
Output power	4 kW	2.2 kW
Power source	Electric	Electric
MOTOR		
Phases	3	1
Voltage	380-420 V	220 - 240 V
Rated current	9 A	13 A
Frequency	50 Hz	50 Hz
Pins	5	2
GRINDING EQUIPMENT		
Grinding width	515 mm	515 mm
Number of grinding discs	3	3
Direction of rotation	One direction	One direction
Grinding disc diameter	230 mm	230 mm
Grinding disc speed max	558 rpm	542 rpm
Grinding pressure, max	79 kg	66 kg
DIMENSIONS		
Product size length	1,525 mm	1,525 mm
Product size width	555 mm	555 mm
Product size height	950 mm	950 mm
Weight	133 kg	120 kg

SHOW LESS ^

Selection of diamond tools that fit this model

GOLD

GOLD

GOLD

FLOOR GRINDING TOOLS - REDI SYSTEM

G1410 3 PCS

8 variants

FLOOR GRINDING TOOLS - REDI SYSTEM

G1420 3PCS

8 variants

FLOOR GRINDING TOOLS - REDI SYSTEM

G1440 3PCS

8 variants



Connector

Redi Lock

Coolant

Wet

Amount of segments

Double / Single



Connector

Redi Lock

Coolant

Wet

Amount of segments

Double / Single



Connector

Redi Lock

Coolant

Wet

Amount of segments

Double / Single

GOLD

FLOOR GRINDING TOOLS - REDI SYSTEM

G1470 3PCS

6 variants



Connector

Redi Lock

Coolant

Wet

Amount of segments

Double / Single



LOAD MORE (7)

Recommended accessories that fit this model

HOLDER DISCS Redi Lock® diamond holder disc

ATTACHMENTS Transport trolley

ATTACHMENTS
Tool box



Accessory for **Floor grinders**



Accessory for **Floor grinders**



Accessory for Floor grinders

TOOL HOLDERS EZ RESIN HOLDER



Accessory for **Floor grinders**

LOAD MORE (6)

× SUPPORT

Related support documents and downloads

DOCUMENTS

Didn't find your document?

LEARN MORE ABOUT FLOOR GRINDERS

MAIN CATEGORY

ABOUT HUSQVARNA FLOOR GRINDERS

Learn more →

MAIN CATEGORY

ABOUT HUSQVARNA PLANETARY FLOOR GRINDERS

Learn more →

PRODUCTS

ALL FLOOR GRINDERS

GO TO FULL ASSORTMENT



DIAMOND TOOLS POWER CUTTERS CONCRETE CORE

FLOOR SAWS

TILE AND MASONRY SAWS WALL SAWS

WIRE SAWS

CON :

YOU'RE AT HUSQVARNA CONSTRUCTION

Dealer locator	
Contact us	
Facebook	
Instagram	
LinkedIn	
YouTube	
Privacy notice	\rightarrow
Terms of use	\rightarrow
Cookie policy	\rightarrow
Imprint	\rightarrow
Report Suspected Violations	\Rightarrow

© 2022 Husqvarna AB. All rights reserved.