

Husqvarna S 26

S 26 is a powerful single-phase HEPA dust extractor to match the grinding machines Husqvarna PG 280, PG 450 and early entry saw Soft-Cut 150. It also matches small scarifiers and shot blasters as well as handheld power tools. This professional dust extractor is suitable for building, grinding, plaster and concrete dust. Equipped with two tested and certified HEPA H13 filters. Features include Jet Pulse pre-filter cleaning, hour counter and vacuum meter for filter control. The non-marking wheels are puncture free and lock at the front. The Longopac® bag hose system ensures simple, dust-free bag changes.

● Phases	1~
● Air Flow	400 m³/h
● Rated input power	2.4 kW
● Weight	47 kg

Article number : DUST EXTRACTOR S 26

230 V | 1-ph | EU - 967 66 39-05



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Efficient filtration system

The three separate filtering stages result in longer working time between filter cleaning. The dust is filtered through a cyclone chamber, which separate the heaviest parts, up to 95% of the dust, before the washable main filter. The HEPA micro filters are individual tested and certified to capture 99.99% of the remaining silica dust in the respirable fraction ($0.3\mu\text{m}$). +



Easy and efficient filter cleaning

The Jet Pulse filter cleaning system ensures high continuous airflow thanks to easy and efficient cleaning of the conical main filter without opening the machine.

Durable design

Corrosion-resistant steel clamps, welded frame with dust bag platform and durable steel handle make it ready to serve for many years.



Easy to transport

The welded frame enables easy transportation by resting the machine on the frame.



- High Efficiency Particulate Air filter
- Easy-to-read airflow monitoring
- Clean and simple bag change

- For demanding industrial applications
- Control

SPECIFICATIONS




Phases
Voltage
Rated current
Max. vacuum
Rated input power

1~
230 V
10,4 A
220 mbar
2.4 kW

Specifications

Air Flow	400 m³/h
HEPA filters 99.99% at 0.3 microns	2
Max. vacuum	220 mbar
Water lift	90 in



Product size height
Product size length
Product size width
Weight

1275 mm
756 mm
546 mm
47 kg