

TWINCA

DUMPER



The most efficient
mini dumper
in the world



UNIQUE STEERING
GEAR ENSURES
SUPREME
DRIVEABILITY

Quality, stability and perfect ergonomics

Twinca A/S develops, manufactures and sells hydraulic mini dumpers to customers all over the world.

Under the name of Twinca Dumper we have set a quite new standard as to driving of mini dumpers. Twinca Dumper has a unique steering gear and is therefore much easier to operate than any other mini dumper on the market.

The key words of any of our products are quality, stability and perfect ergonomics

Save time and money

Twinca Dumper saves your company both time and money, as it makes operating with heavy loads easier and more rational. Twinca Dumper GS-800 with scissor lift allows you to load a container from all sides. You save costs for steel plates, man-hours and room.

Take good care of your employees

By using Twinca Dumper your employees will experience a much easier day at work. Your employees will avoid hard physical strain, when handling heavy loads. The risk of sick days and physical disabilities is significantly smaller.

We always listen to our customers' needs and develop new machines that meet the current requirements regarding functionality, safety and working conditions.

Focus on safety

Twinca Dumper is designed in accordance with the highest safety standards.

All models have parking brakes as standard equipment and safety devices. The direction will reversed by activation of the safety device. In this way, the operator avoids getting hurt, if he should be trapped between the machine and e.g. a wall.

Value for money

At Twinca A/S we have made a deliberate choice of quality components (including engines, variable pumps, hydraulic components, wires etc.) in order to guarantee a reliable, high-quality mini dumper. We use high-strength steel to ensure a wear-resistant and durable frame and truck bed, which reduces the net weight considerably.

We quality-test every single machine prior to delivery.

Twinca Dumper is suitable for landscaping, paving, contracting, agriculture, cemeteries, public works departments, renovation and rental businesses.

The meaning of the letters

The name of all models consists of a unique combination of letters and numbers.

G = Gasoline (Petrol)

S = Scissor lift

ST = Standard

500 = Loads 500 kg

800 = Loads 800 kg

Quality,
stability and
perfect
ergonomics



GS-800



Advantages

- Unload in container or on a truck load - from all sides
- Cross-country tyres with a wide diameter
- Petrol-powered
- Auto steering

GS-800 has a scissor lift and high lift. This means that you can work more efficiently and save time as well as money. E.g. you can fill a container or a truck bed from all sides and avoid spillage.

Technical Data

Engine: Kohler Command 270, 7.0 hp
 Petrol tank: 3.6 litres
 Transmission: Variable pump
 Noise level: 97 dB
 Speed: 0-6 km/t forward/reverse

Capacity litres: 385 litres
 Capacity kilos: up to 800 kg
 Lifting height: 1730/3040 mm
 Height tilt point: 650/1250 mm

Driving conditions
 Terrain: 600 kg
 Solid ground: 800 kg

Machine dimensions: L = 2340 mm,
 W = 860 mm,
 H = 1130 mm

Weight: 413 kg

Wheel size:
 Driving wheels: 20 x 10
 Turning wheels: 140-6

Hydraulic tank: 13.5 litres

Safety device:
 In the event of clamping, the circulation reversed and the machine will move forward until the handle is in neutral position.

G-800



Advantages

- Classic mini dumper including the newest technique
- Cross-country tyres with a wide diameter
- Petrol-powered
- Auto steering

With G-800 you can work efficiently without the use of physical strain.

Technical Data

| | |
|---------------|---------------------------------|
| Engine: | Kohler Command 270, 7.0 HP |
| Petrol tank: | 3.6 litres |
| Transmission: | Variable pump |
| Noise level: | 97 dB |
| Speed: | 0-6 km/t forwards/ backwards |

| | |
|--------------------|------------|
| Capacity litres: | 400 litres |
| Capacity kilos: | 800 kg |
| Lifting height: | 1900 mm |
| Height tilt point: | 650 mm |

| | |
|--------------------|--------|
| Driving conditions | |
| Terrain: | 600 kg |
| Solid ground: | 800 kg |

| | |
|---------------------|----------|
| Machine dimensions: | |
| L = | 2270 mm. |
| W = | 920 mm. |
| H = | 1070 mm. |

| | |
|---------|--------|
| Weight: | 370 kg |
|---------|--------|

| | |
|-----------------|---------|
| Wheel size: | |
| Driving wheels: | 20 x 10 |
| Turning wheels: | 140-6 |

| | |
|-----------------|-------------|
| Hydraulic tank: | 13.5 litres |
|-----------------|-------------|

Safety device:
In the event of clamping, the circulation reversed and the machine will move forward until the handle is in neutral position.

GST-800



Advantages

- Simple and efficient mini dumper
- High level of safety
- Petrol-powered

GST-800 is the classic mini dumper with standard steering.

Technical Data

Engine: Kohler Command 270, 7.0 hp
 Petrol tank: 3.6 litres
 Transmission: Variable pump
 Noise level: 97 dB
 Speed: 0-6 km/t forward/reverse

Capacity litres: 400 litres
 Capacity kilos: 800 kg
 Lifting height: 2430 mm
 Height tilt point: 650 mm

Driving conditions

Terrain: 600 kg
 Solid ground: 800 kg

Machine

dimensions: L = 2200 mm.
 W = 920 mm.
 H = 1100mm.

Weight: 370 kg

Wheel size:

Driving wheels: 20 x 10
 Turning wheels: 140-6

Hydraulic tank: 13.5 litres

Safety device:

In the event of clamping, the circulation reversed and the machine will move forward

TWINCA

DUMPER

Dealer:

See the list of dealers at www.twincadumper.com

TWINCA A/S

Nr. Bjertvej 14
DK-7830 Vinderup
mail@twinca.dk

Tel.: +45 9744 8555
Cvr.: 25 80 49 29
www.twincadumper.com